

BOOK' 20

HEATING PRODUCTS DESIGNED
AND DEVELOPED BY FOURSTEEL®

FOURSTEEL®

[heating products factory]

FOURSTEEL

CORPORATE

Foursteel is a Portuguese producer of design heating radiators and towel warmers. Focused on market needs, in collaboration with architects and designers creates distinctive radiators in stainless steel and steel, developing efficient heating solutions with contemporary and minimalist concepts.

Foursteel ® Heating Products Factory

Book'20 Printed in Aveiro, Portugal

© Foursteel, Aveiro, 2020, All rights reserved

RADIATORS AND TOWEL WARMERS

MINIMALIST COLLECTION

- 08 Minimal
- 14 Minimal X
- 20 M Tube
- 24 M Tube Square
- 28 M Tube Round
- 30 M Slim
- 34 M Slim Square
- 38 Fourslim by Architects
- 44 Fourslim on/off
- 46 Fourslim Square
- 52 Fourslim Square on/off
- 54 Fourslim Square LED
- 56 Skinny

THE EVOLUTION

- 62 Steel Glam
- 72 Steel Elegance
- 76 Fourfoz
- 82 Steel Wave
- 86 Steel Stone

FIRST COLLECTION

- 92 Steel Classic
- 96 Steel Glamour
- 100 Steel Style

REWIND COLLECTION

- 106 Empress
- 112 Old Beauty
- 116 Remind
- 122 Floor Remind
- 126 Retro special
- 132 Old Grace
- 136 Royalty

NEW COLLECTION

New Slim	142
New Square	146
New Q	150

BASIC LINE

Basic Line	156
------------	-----

DESIGN COLLECTION

Diamond	164
Diamond XS	169
Arena	172
Arena Table	178

ROOM RADIATORS

Curve	184
D Ligne	190
Divine	16
Linear	202
Plano Move	208
Plano Pure	214
Plano Pure on/off	220
Plano +	222
Plano	228

ACCESSORIES

Mimoo Switch	236
Electric Elements	238
Valves and Retainers	240
Other Accessories	248

ELECTRIC ELEMENT II

technical characteristics

power supply - AC 120V, 60Hz

protection class - class I - UL certification

Ingress Protection Rating - IP64 / IP67

NOTE:

1. When the position of the electric element is not identified It will always be placed in the lower right side;
2. All our electric heaters consist of electric heater cartridge (heater bar) and thermal fluid.
3. Foursteel® reserves the right to change all the products and related drawings featured in this catalogue without any prior notice.
4. All Foursteel® products are adaptable in terms of size and capacity.

RAL COLORS: color subject to confirmation.

WHITE: RAL 9016 (Standard version)

MINIMALIST COLLECTION


MINIMAL	08
MINIMAL X	14
M TUBE	20
M TUBE SQUARE	24
M TUBE ROUND	28
M SLIM	30
M SLIM SQUARE	34
FOURSLIM BY ARCHITECTS	38
FOURSLIM ON/OFF	44
FOURSLIM SQUARE	46
FOURSLIM SQUARE ON/OFF	52
FOURSLIM SQUARE LED	54
SKINNY	56

MINIMAL

TOWEL WARMER

ARCHITECT: MANUEL AIRES MATEUS

A minimalist concept, the electric towel warmer Minimal was created and developed in partnership with the architect Manuel Aires Mateus for the condo project Palácio Condes de Murça in Lisbon.









FRONT VIEW

SIDE VIEW





MATERIAL stainless steel

FINISHINGS



POLISHED



BRUSHED



BLACK



WHITE



RAL COLOUR



GOLD




COPPER

TITANIUM FINISH *

ACCESSORIES



MIMOO
SWITCH



model		M 900	M 1200	M 1400	M 1800
height (mm)	a	900	1200	1400	1800
total width (mm)	b	35	35	35	35
depth (mm)	c	23	23	23	23
capacity (l)		0,6	0,8	1,0	1,3
electric (W)		100	150	150	200

MINIMAL X

TOWEL WARMER





MATERIAL stainless steel

FINISHINGS



POLISHED



BRUSHED



BLACK



WHITE



RAL COLOUR

TITANIUM FINISH *



GOLD




COPPER


ACCESSORIES




MIMOO
SWITCH




model		MX 900	MX 1200	MX 1400	MX 1800
height (mm)	a	900	1200	1400	1800
total width (mm)	b	50	50	50	50
depth (mm)	c	50	50	50	50
capacity (l)		0,6	0,8	1,0	1,3
electric (W)		100	150	150	200




SIDE VIEW



FRONT VIEW



SIDE VIEW



M TUBE

TOWEL WARMER

Giving continuity to its minimalist range and prioritizing the creation of electric towel warmers for small spaces, Foursteel presents the M Tube, M Tube Square and M Tube Round.

Available in polished, brushed, white or textured black stainless steel.





MATERIAL stainless steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE



RAL COLOUR

TITANIUM FINISH *



GOLD




COPPER

ACCESSORIES



MIMOO
SWITCH



model	MT3 550	additional elem.	MT3 800	additional elem.
no. of elements	3	1	3	1
height (mm) a	30	30	30	30
width between elements (mm) b	120	-	120	-
total width (mm) c	550	550	800	800
depth (mm) d	120	120	120	120
capacity (l)	3x0,4	0,4	3x0,6	0,6
electric (W)	3x40	40	3x40	40

M TUBE SQUARE

TOWEL WARMER

Giving continuity to its minimalist range and prioritizing the creation of electric towel warmers for small spaces, Foursteel presents the M Tube, M Tube Square and M Tube Round.

Available in polished, brushed, white or textured black stainless steel.





MATERIAL stainless steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE



RAL COLOUR

TITANIUM FINISH *



GOLD




COPPER

ACCESSORIES



MIMOO
SWITCH



model	MTS3 550 additional elem.		MTS3 800 additional elem.	
no. of elements	3	1	3	1
height (mm) <i>a</i>	30	30	30	30
width between elements (mm) <i>b</i>	120	-	120	-
total width (mm) <i>c</i>	550	550	800	800
depth (mm) <i>d</i>	120	120	120	120
capacity (l)	3x0,4	0,4	3x0,6	0,6
electric (W)	3x40	40	3x40	40

M TUBE ROUND

TOWEL WARMER



MATERIAL stainless steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE



RAL COLOUR

TITANIUM FINISH *



GOLD




COPPER

ACCESSORIES



MIMOO
SWITCH



model	MTR3 550 additional elem.		MTR3 800 additional elem.	
no. of elements	3	1	3	1
height (mm) <i>a</i>	30	30	30	30
width between elements (mm) <i>b</i>	120	-	120	-
total width (mm) <i>c</i>	550	550	800	800
depth (mm) <i>d</i>	120	120	120	120
capacity (l)	3x0,4	0,4	3x0,6	0,6
electric (W)	3x40	40	3x40	40


M SLIM

TOWEL WARMER

Minimalist towel warmer M Slim, available in stainless steel polished and brushed, ral colors and finishes titanium (gold and copper).



FRONT VIEW



** Products not provided by Foursteel.

MATERIAL stainless steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE



RAL COLOUR

TITANIUM FINISH *



GOLD




COPPER

ACCESSORIES



MIMOO
SWITCH

SIDE VIEW



model		MS3 600	additional elem.
no. of elements		3	1
height (mm)	a	30	30
width between elements (mm)	b	120	-
total width (mm)	c	600	600
depth (mm)	d	80	80
capacity (l)		3x0,6	0,6
electric (W)		3x40	40


M SLIM SQUARE

TOWEL WARMER

Minimalist towel warmer M Slim, available in stainless steel polished and brushed, ral colors and finishes titanium (gold and copper).



FRONT VIEW



** Products not provided by Foursteel.

MATERIAL stainless steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE



RAL COLOUR

TITANIUM FINISH *



GOLD




COPPER

ACCESSORIES



MIMOO
SWITCH

SIDE VIEW



model	MSS3 600 additional elem.	
no. of elements	3	1
height (mm) a	30	30
width between elements (mm) b	120	-
total width (mm) c	600	600
depth (mm) d	80	80
capacity (l)	3x0,6	0,6
electric (W)	3x40	40


FOURSLIM BY ARCH.


TOWEL WARMER

The towel warmer Fourslim was developed in collaboration with Manuel Aires Mateus' architect studio under the theme "less is more".

The Fourslim is a dry towels that can be used with two, three or more elements in the same bath space.


In central heating, electric or mixed versions, this radiator will provide a distinctive atmosphere.





Electric version: in the horizontal position the depth is 75mm.

		hidden electric element II			mixed version - wall valve + electric II		
model		FS 800	FS 1200	FS 1400	FSM 800	FSM 1200	FSM 1400
height (mm)	a	800	1200	1400	880	1280	1480
width between axles (mm)	b	-	-	-	620	1020	1220
total width (mm)	c	35	35	35	42	42	42
depth (mm)	d	65	65	65	100	100	100
capacity (l)		0,6	0,8	1,0	0,7	0,9	1,2
central heating (W)		-	-	-	63	97	124
electric (W)		100	150	200	40	100	150



MATERIAL stainless steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE



RAL COLOUR

TITANIUM FINISH *



GOLD



COPPER

ACCESSORIES



MIMOO
SWITCH



WALL VALVE





CENTRAL HEATING
solution 1



The connection of water inlet is done by a system of wall valves outside of the product.





		central heating - wall valve system			central heating - valves		
model		FSA 800	FSA 1200	FSA 1400	FSA 800	FSA 1200	FSA 1400
height (mm)	a	800	1200	1400	800	1200	1400
width between axles (mm)	b	620	1020	1220	620	1020	1220
total width (mm)	c	42	42	42	42	42	42
depth (mm)	d	100	100	100	130	130	130
capacity (l)		0,7	0,9	1,2	0,7	0,9	1,2
central heating (W)		63	97	124	63	97	124

FOURSLIM ON/OFF

TOWEL WARMER




An on/off switch was incorporated in the towel warmer itself for greater user comfort and to simplify operation.

BOTTOM VIEW



SIDE VIEW



Electric version: in the horizontal position the depth is 82mm.

		hidden electric element II - on/off			mixed version - wall valve + on/off		
model		FSO 800	FSO 1200	FSO 1400	FSOM 800	FSOM 1200	FSOM 1400
height (mm)	a	800	1200	1400	880	1280	1480
width between axes (mm)	b	-	-	-	620	1020	1220
total width (mm)	c	42	42	42	42	42	42
depth (mm)	d	72	72	72	100	100	100
capacity (l)		0,6	0,8	1,0	0,7	0,9	1,2
central heating (W)		-	-	-	63	97	124
electric (W)		100	150	200	100	100	150


FOURSLIM SQUARE

TOWEL WARMER

From the line of the Fourslim emerges the towel warmer Fourslim Square with square tubular profile.

The versatility of this line allows the user to choose horizontal or vertical positioning.





Electric version: in the horizontal position the depth is 80mm.

		hidden electric element II			mixed version - wall valve + electric		
model		FSQ 800	FSQ 1200	FSQ 1400	FSQM 800	FSQM 1200	FSQM 1400
height (mm)	a	800	1200	1400	880	1280	1480
width between axles (mm)	b	-	-	-	620	1020	1220
total width (mm)	c	40	40	40	40	40	40
depth (mm)	d	70	70	70	98	98	98
capacity (l)		0,6	0,8	1,0	0,7	0,9	1,2
central heating (W)		-	-	-	63	97	124
electric (W)		100	150	200	100	100	150



MATERIAL stainless steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE



RAL COLOUR



GOLD



COPPER

TITANIUM FINISH *

ACCESSORIES



MIMOO
SWITCH



WALL VALVE

ELECTRIC VERSION
WITH HIDDEN ELEMENT II

(electric cable)



Mimoo Switch (optional)

CENTRAL HEATING
solution 1




The connection of water inlet is done by a system of wall valves outside of the product.





Hidden valves
Water connections



central heating - wall valve system				central heating - valves		
model	FSQA 800	FSQA 1200	FSQA 1400	FSQA 800	FSQA 1200	FSQA 1400
height (mm) a	800	1200	1400	800	1200	1400
width between axles (mm) b	620	1020	1220	620	1020	1220
total width (mm) c	40	40	40	40	40	40
depth (mm) d	98	98	98	128	128	128
capacity (l)	0,7	0,9	1,2	0,7	0,9	1,2
central heating (W)	63	97	124	63	97	124

FOURSLIM SQUARE ON/OFF


TOWEL WARMER




BOTTOM VIEW



SIDE VIEW



HIDDEN ELECTRIC
ELEMENT II



on/off switch
with LED
IP54 class II

Electric version: in the horizontal position the depth is 80mm.

		hidden electric element II			mixed version - wall valve + electric II		
		FSQO 800	FSQO 1200	FSQO 1400	FSQOM 800	FSQOM 1200	FSQOM 1400
model							
height (mm)	a	800	1200	1400	880	1280	1480
width between axes (mm)	b	-	-	-	620	1020	1220
total width (mm)	c	40	40	40	40	40	40
depth (mm)	d	70	70	70	98	98	98
capacity (l)		0,6	0,8	1,0	0,7	0,9	1,2
central heating (W)		-	-	-	63	97	124
electric (W)		100	150	200	100	100	150




FOURSLIM SQUARE LED

TOWEL WARMER



The electric towel warmer Fourslim Square LED has the functionality of warming the towel as well as being able to create a subtle ambient light with low energy consumption. These two functions can be used alternately or simultaneously.




model		FSQL 800	FSQL 1200	FSQL 1400
height (mm)	a	800	1200	1400
width between axles (mm)	b	645	945	1145
total width (mm)	c	40	40	40
depth (mm)	d	70	70	70
capacity (l)		0,6	0,8	1,0
electric (W)		100	150	200

SKINNY


TOWEL WARMER

The electric towel radiator characterized by its minimalist essence.

It can be customized with the combination of various elements and be placed in any kind of space, floor mounted or freestanding.



VERSION: FLOOR MOUNTED



		floor mounted			mobile		
model		SK 900	SK 1200	SK 1400	SKM 900	SKM 1200	SKM 1400
height (mm)	a	900	1200	1400	900	1200	1400
total width (mm)	b	90	90	90	280	280	280
tube diameter (mm)	c	42	42	42	42	42	42
capacity (l)		0,6	0,8	1,0	0,6	0,8	1,0
electric (W)		40	100	150	40	100	150

VERSION: MOBILE



MATERIAL stainless steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE



RAL COLOUR

TITANIUM FINISH *



GOLD




COPPER


ACCESSORIES





MIMOO
SWITCH



OPTION A
electric cable exit
through the bottom



OPTION B
lateral exit of the
electric cable



NOTE: Also available in the square version.

ELECTRIC ELEMENT II

technical characteristics

power supply - AC 120V, 60Hz

protection class - class I - UL certification

Ingress Protection Rating - IP64

NOTE:

1. When the position of the electric element is not identified It will always be placed in the lower right side;
2. All our electric heaters consist of electric heater cartridge (heater bar) and thermal fluid.
3. Foursteel® reserves the right to change all the products and related drawings featured in this catalogue without any prior notice.
4. All Foursteel® products are adaptable in terms of size and capacity.

RAL COLORS: color subject to confirmation.

WHITE: RAL 9016 (Standard version)

THE EVOLUTION

design collection by architects


STEEL GLAM	62
STEEL ELEGANCE	72
FOURFOZ	76
STEEL WAVE	82
STEEL STONE	86

STEEL GLAM

TOWEL WARMER

With straight lines and square profile, Steel Glam is a bath space heating solution developed to satisfy the heating needs and aesthetic requirements of Estoril Sol Residence in Lisbon.

The continuity of the lines is a bet won by Foursteel on the development of equipments with contemporary design.





MATERIAL stainless steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE



RAL COLOUR

TITANIUM FINISH *



GOLD




COPPER

ACCESSORIES



MIMOO
SWITCH









VERSION: CENTRAL HEATING

VERSION: HIDDEN ELECTRIC ELEMENT II







electric version with hidden element II



STEEL GLAM normal
(SG)



STEEL GLAM sharp corner
(SGS)

model		SG 800E	SG 800L	SG 1200E	SG 1200L	SG 1800E	SG 1800L
height	(mm) a	800	800	1200	1200	1800	1800
width between axles	(mm) b	450	500	450	500	450	500
total width	(mm) c	480	530	480	530	480	530
depth	(mm) d	90	90	90	90	90	90
capacity	(l)	2,8	3,1	4,0	4,6	6,6	7,1
central heating	(W)	250	296	360	438	613	657
electric	(W)	300	300	600	600	1000	1000

STEEL ELEGANCE

TOWEL WARMER

Developed in an elegant manner, Steel Elegance evolved from a restyling of the Steel Classic [First Collection] for the renovation of the Hotel Savoy Madeira.

The reduction of the tube size and the adjustment of the fixation system originated a cleaner concept.

The result is clear: a stainless steel towel warmer with the simplicity and excellence of the classics in harmony with the comfort and lightness of the present.





MATERIAL stainless steel

FINISHINGS



POLISHED




BRUSHED

ACCESSORIES




MIMOO
SWITCH

VERSION: CENTRAL HEATING



VERSION: ELECTRIC II



model		ELG 800E	ELG 800L	ELG 1200E	ELG 1200L	ELG 1800E	ELG 1800L
height (mm)	a	800	800	1200	1200	1800	1800
width between axes (mm)	b	450	500	450	500	450	500
total width (mm)	c	480	530	480	530	480	530
depth (mm)	d	87	87	87	87	87	87
capacity (l)		1,6	1,8	2,4	2,7	3,3	3,7
central heating (W)		144	160	216	240	377	419
electric (W)		200	200	300	300	600	600

FOURFOZ

TOWEL WARMER

ARCHITECT: EDUARDO SOUTO DE MOURA

The freedom of the outline and the respect for the functional need to dry towels illustrate the audacity of the features of the towel warmer Fourfoz, by the architect Eduardo Souto de Moura.

Available in polished or brushed stainless steel, in the central heating or electric version, Fourfoz is proof of the precision and talent of the renowned architect.






VERSION: CENTRAL HEATING


VERSION: ELECTRIC II

FRONT VIEW


SIDE VIEW



TOP VIEW



VERSION: MIXED WITH ELEMENT II



MATERIAL stainless steel

FINISHINGS



POLISHED



BRUSHED

TITANIUM FINISH *



GOLD



COPPER

ACCESSORIES



MIMOO
SWITCH




model		FF 525E	FF 525L	FF 800E	FF 800L
height (mm)	a	525	525	800	800
width between axles (mm)	b	450	500	450	500
total with (mm)	c	475	525	475	525
depth (mm)	d	100	100	100	100
capacity (l)		0,8	0,8	1,0	1,2
central heating (W)		89	98	126	139
electric (W)		100	100	150	150


STEEL WAVE

TOWEL WARMER

In accordance with the architecture of the Martinhal Beach Resort & Hotel in Sagres, the towel warmer Steel Wave is a simple and contemporary solution developed with the British architecture and design studio Conran & Partners.



VERSION: CENTRAL HEATING



MATERIAL stainless steel

FINISHINGS



POLISHED




BRUSHED

ACCESSORIES




MIMOO
SWITCH

VERSION: ELECTRIC II



VERSION: MIXED WITH ELEMENT II



model		SW 800L	SW 800XL	SW 1200L	SW 1200XL	SW 1400L	SW 1400XL
height	(mm) a	868	868	1100	1100	1332	1332
width between axes	(mm) b	50	50	50	50	50	50
total width	(mm) c	500	600	500	600	500	600
depth	(mm) d	90	90	90	90	90	90
capacity	(l)	3,1	3,5	4,0	4,6	6,1	6,9
central heating	(W)	279	317	360	438	545	616
electric	(W)	200	200	300	300	600	600




STEEL STONE

TOWEL WARMER

Radiator developed in partnership with José Carlos Cruz architecture studio to create a homogeneous and balanced ambience in the bathroom or other rooms. The wall covering material* is used as the radiator cover and it can be applied in niches (being at the same level of the wall) or in the exterior of the wall.

* The covering material should support temperatures up to 120 °C.
Recommended material: natural stones, like marble and granite.





MATERIAL stainless steel

FINISHINGS



POLISHED



BRUSHED


ACCESSORIES





MIMOO
SWITCH

VERSION: CENTRAL HEATING

FRONT VIEW






SIDE VIEW



TOP VIEW

VERSION: ELECTRIC II



model	SS 600 600	SS 400 900	SS 600 900	SS 400 1200	SS 600 1200	SS 800 1200
height (mm) a	600	400	600	400	600	800
width between axes (mm) b	560	860	860	1160	1160	1160
total width (mm) c	600	900	900	1200	1200	1200
depth (mm) d	110	110	110	110	110	110
capacity (l)	3,6	4,2	4,7	5,6	5,8	7,2
central heating (W)	322	379	419	500	524	647
electric (W)	300	300	600	600	600	1000

ELECTRIC ELEMENT II

technical characteristics

power supply - AC 120V, 60Hz

protection class - class I - UL certification

Ingress Protection Rating - IP64

NOTE:

1. When the position of the electric element is not identified It will always be placed in the lower right side;
2. All our electric heaters consist of electric heater cartridge (heater bar) and thermal fluid.
3. Foursteel® reserves the right to change all the products and related drawings featured in this catalogue without any prior notice.
4. All Foursteel® products are adaptable in terms of size and capacity.

RAL COLORS: color subject to confirmation.

WHITE: RAL 9016 (Standard version)

FIRST COLLECTION

everyone is unique, every space in your home
must be you, must be unique

STEEL CLASSIC	92
STEEL GLAMOUR	96
STEEL STYLE	100


STEEL CLASSIC

towel warmer

The excellence of this towel warmer is confirmed by the absence of visible welding, good thermal conductivity and durability.

Steel Classic, with refined features, is a distinctive offer to value the bathroom ambiance.





MATERIAL stainless steel

FINISHINGS



POLISHED




BRUSHED

ACCESSORIES




MIMOO
SWITCH


VERSION: CENTRAL HEATING



VERSION: ELECTRIC II



VERSION: MIXED WITH ELEMENT II



model		T 800E	T 800L	T 1200E	T 1200L	T 1800E	T 1800L
height	(mm) a	800	800	1200	1200	1800	1800
width between axles	(mm) b	450	500	450	500	450	500
total width	(mm) c	492	542	492	542	492	542
depth	(mm) d	87	87	87	87	87	87
capacity	(l)	2,5	2,6	3,6	3,7	5,6	5,9
central heating	(W)	221	234	323	353	497	547
electric	(W)	200	200	300	300	600	600


STEEL GLAMOUR

TOWEL WARMER

Steel Glamour is a reflection of the new design trends, combining simplicity, modernism and elegance in a product capable of satisfying the highest standards of exigency.



VERSION: CENTRAL HEATING



MATERIAL stainless steel

FINISHINGS



POLISHED



BRUSHED

TITANIUM FINISH *



GOLD




COPPER

ACCESSORIES



MIMOO
SWITCH

VERSION: ELECTRIC II



model		Q 800E	Q 800L	Q 1200E	Q 1200L	Q 1800E	Q 1800L
height	(mm) a	800	800	1200	1200	1800	1800
width between axles	(mm) b	450	500	450	500	450	500
total width	(mm) c	480	530	480	530	480	530
depth	(mm) d	90	90	90	90	90	90
capacity	(l)	2,8	3,1	4,0	4,6	6,9	7,4
central heating	(W)	250	296	360	438	642	689
electric	(W)	300	300	600	600	1000	1000

STEEL STYLE

TOWEL WARMER

The color and texture give a touch of modernity to the traditional shape of the towel warmer Steel Style.

Besides the decorative effect, the electric version allows this solution to be easily incorporated in the bathroom space.





MATERIAL steel

FINISHINGS



TEXTURED
BLACK




WHITE

ACCESSORIES




MIMOO
SWITCH


VERSION: CENTRAL HEATING



VERSION: ELECTRIC II



VERSION: MIXED WITH ELEMENT II



model		F 800E	F 800L	F 1200E	F 1200L	F 1800E	F 1800L
height (mm)	a	800	800	1200	1200	1800	1800
width between axes (mm)	b	450	500	450	500	450	500
total width (mm)	c	492	542	492	542	492	542
depth (mm)	d	87	87	87	87	87	87
capacity (l)		2,5	2,5	3,6	3,7	5,6	5,9
central heating (W)		221	234	323	353	497	547
electric (W)		200	200	300	300	600	600

ELECTRIC ELEMENT II

technical characteristics

power supply - AC 120V, 60Hz

protection class - class I - UL certification

Ingress Protection Rating - IP64

NOTE:

1. When the position of the electric element is not identified It will always be placed in the lower right side;
2. All our electric heaters consist of electric heater cartridge (heater bar) and thermal fluid.
3. Foursteel® reserves the right to change all the products and related drawings featured in this catalogue without any prior notice.
4. All Foursteel® products are adaptable in terms of size and capacity.

RAL COLORS: color subject to confirmation.

WHITE: RAL 9016 (Standard version)

Rewind Collection

...the perfect union between the old and the new...

EMPRESS	106
OLD BEAUTY	110
REMIND	118
FLOOR REMIND	122
RETRO SPECIAL	126
OLD GRACE	132
ROYALTY	136

Empress


TOWEL WARMER

The reinterpretation of antique elements into a current style originated the concept of the towel radiator Empress.

Available in polished, brushed, gold and old gold stainless steel, in the central heating or electric version (hidden electric element).




VERSION: CENTRAL HEATING



NOTE: For models higher than 800 mm that contain the electric element II, the first bar doesn't heat.





central heating version

MATERIAL stainless steel

FINISHINGS



POLISHED



BRUSHED

TITANIUM FINISH *



GOLD




COPPER

ACCESSORIES



MIMOO
SWITCH

VERSION: ELECTRIC II (HIDDEN)



NOTE: For models higher than 800 mm that contain the electric element II, the first bar doesn't heat.

model		E 800E	E 800L	E 1200E	E 1200L	E 1800E	E 1800L
height (mm)	a	800	800	1200	1200	1800	1800
width between axes (mm)	b	450	500	450	500	450	500
total width (mm)	c	570	620	570	620	570	620
depth (mm)	d	120	120	120	120	120	120
capacity (l)		2,22	2,29	3,27	3,41	4,49	4,70
central heating (W)		200	206	294	307	404	423
electric (W)		300	300	600	600	1000	1000

Old Beauty


TOWEL WARMER

Reinterpreting the classic with a contemporary language was the concept behind the origin of the towel warmer Old Beauty.


Available in polished, brushed, gold and old gold stainless steel, in the central heating or electric version (hidden electric element).



VERSION: CENTRAL HEATING



VERSION: ELECTRIC II



MATERIAL stainless steel

FINISHINGS



POLISHED



BRUSHED

TITANIUM FINISH *



GOLD



COPPER

ACCESSORIES



MIMOO
SWITCH



model	OB 800
height (mm)a	690
width between axles (mm)b	650
total width (mm)c	820
depth (mm)d	120
capacity (l)	2,61
central heating (W)	235
electric (W)	600

Remind

TOWEL WARMER

With a classic character and the objective of retrieving a unique vintage style, the towel warmer Remind is a fusion between the old and the new, the classic and the contemporary. Available in polished, brushed, gold and old gold stainless steel, in the central heating or electric version (hidden electric element).







stainless steel with PVD copper finish
electric version with hidden element II



MATERIAL stainless steel

FINISHINGS



POLISHED



BRUSHED

TITANIUM FINISH *



GOLD




COPPER

ACCESSORIES




MIMOO
SWITCH

VERSION: CENTRAL HEATING



VERSION: ELECTRIC II (HIDDEN)



model		R 800E	R 800L	R 1200E	R 1200L	R 1800E	R 1800L
height (mm)	a	800	800	1250	1250	1850	1850
width between axes (mm)	b	450	500	450	500	450	500
total width (mm)	c	485	535	485	535	485	535
depth (mm)	d	120	120	120	120	120	120
capacity (l)		1,84	1,93	2,90	3,03	4,31	4,51
central heating (W)		165	174	261	272	387	405
electric (W)		300	300	600	600	1000	1000

Floor Remind


TOWEL WARMER

Functionality, comfort and elegance are the characteristics associated with the towel warmer Floor Remind that allows diversification in its placement.

Available in polished, brushed, gold and old gold stainless steel, in the central heating or electric version (hidden electric element).



VERSION: CENTRAL HEATING



MATERIAL stainless steel

FINISHINGS



POLISHED



BRUSHED

TITANIUM FINISH *



GOLD




COPPER

ACCESSORIES



MIMOO
SWITCH

VERSION: ELECTRIC II




model	FR 1000	FR 1200	FR 1400
height (mm) a	1000	1200	1400
width between axles (mm) b	600	600	600
total width (mm) c	642	642	642
depth (mm) d	140	140	140
capacity (l)	3,69	4,26	5,17
central heating (W)	332	398	465
electric (W)	600	600	1000

Retro Special

TOWEL WARMER



VERSION: ELECTRIC II



electric version with hidden element II (optional)

MATERIAL stainless steel / steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE



RAL COLOUR

TITANIUM FINISH *



GOLD




COPPER

ACCESSORIES




MIMOO
SWITCH







model	RE600 400	RE600 450	RE600 500	RE600 600
height (mm)	600	600	600	600
width between axles (mm)	400	450	500	600
total width (mm)	435	485	535	635
depth (mm)	90	90	90	90
capacity (l)	1,35	1,41	1,47	1,58
central heating (W)	101	106	111	122
electric (W)	150	150	150	200



model	RE1000 400	RE1000 450	RE1000 500	RE1000 600
height (mm)	1000	1000	1000	1000
width between axles (mm)	400	450	500	600
total width (mm)	435	485	535	635
depth (mm)	90	90	90	90
capacity (l)	2,12	2,2	2,28	2,43
central heating (W)	154	161	168	182
electric (W)	300	300	300	300



RE800 400	RE800 450	RE800 500	RE800 600		model
800	800	800	800	(mm)	height
400	450	500	600	(mm)	width between axles
435	485	535	635	(mm)	total width
90	90	90	90	(mm)	depth
1,67	1,73	1,79	1,9	(l)	capacity
120	126	131	142	(W)	central heating
200	200	200	200	(W)	electric



RE1200400	RE1200450	RE1200500	RE1200600		model
1200	1200	1200	1200	(mm)	height
400	450	500	600	(mm)	width between axles
435	485	535	635	(mm)	total width
90	90	90	90	(mm)	depth
2,45	2,52	2,6	2,75	(l)	capacity
174	181	188	202	(W)	central heating
300	300	300	300	(W)	electric

Old Grace


TOWEL WARMER

The towel radiator Old Grace originated in a reinterpretation of several styles of the past. It differentiates itself by the use of mirrored surfaces.

Available in polished or brushed stainless steel, in the central heating or electric version.



VERSION: CENTRAL HEATING



MATERIAL stainless steel

FINISHINGS



POLISHED



BRUSHED

TITANIUM FINISH *



GOLD




COPPER

ACCESSORIES



MIMOO
SWITCH

VERSION: ELECTRIC II



model	OG 800	
height (mm)	a	690
width between axles (mm)	b	650
total width (mm)	c	850
depth (mm)	d	120
capacity (l)		2,40
central heating (W)		390
electric (W)		600

Royalty

ROOM RADIATOR

The audacious and creative lines reflect the vivacity and originality of the floor radiator Royalty. Available in the central heating or electric version.





MATERIAL stainless steel / steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE

TITANIUM FINISH *



GOLD




COPPER

ACCESSORIES



MIMOO
SWITCH

VERSION: CENTRAL HEATING



model		RO 800
height (mm)	a	800
width between axles (mm)	b	730
total width (mm)	c	800
depth (mm)	d	120
capacity (l)		14,2
central heating (W)		2188
electric (W)		2000

ELECTRIC ELEMENT II

technical characteristics

power supply - AC 120V, 60Hz

protection class - class I - UL certification

Ingress Protection Rating - IP64

NOTE:

1. When the position of the electric element is not identified It will always be placed in the lower right side;
2. All our electric heaters consist of electric heater cartridge (heater bar) and thermal fluid.
3. Foursteel® reserves the right to change all the products and related drawings featured in this catalogue without any prior notice.
4. All Foursteel® products are adaptable in terms of size and capacity.

RAL COLORS: color subject to confirmation.

WHITE: RAL 9016 (Standard version)

NEW COLLECTION

moments of pure comfort for your bathroom


NEW SLIM	142
NEW SQUARE	146
NEW Q	150

NEW SLIM

TOWEL WARMER

New Slim stands out for its elegant, sober and refined lines.

A simple solution that creates a calm and comfortable atmosphere in your bath space.





central heating version

MATERIAL stainless steel / steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE




RAL COLOUR

ACCESSORIES



MIMOO
SWITCH

VERSION: CENTRAL HEATING



		central heating		electric
model		NS 400 E	NS 400 L	NS 400
height (mm)	a	400	400	400
width between axles (mm)	b	450	500	-
total width (mm)	c	830	830	830
depth (mm)	d	90	90	90
capacity (l)		2,1	2,1	2,1
central heating (W)		242	242	-
electric (W)		-	-	200

NEW SQUARE


TOWEL WARMER

New Square is a new concept of towel warmers, composed by shelves in Corian® for greater functionality and comfort in your bathroom.

With straight lines, elegant and sober, the towel warmer New Square is available in the electric version or central heating version.



VERSION: CENTRAL HEATING



MATERIAL stainless steel / steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE




RAL COLOUR

ACCESSORIES



MIMOO
SWITCH

VERSION: ELECTRIC II



		central heating		electric
model		NSQ 530E	NSQ 530L	NSQ 530
height (mm)	a	530	530	530
width between axles (mm)	b	450	500	-
total width (mm)	c	530	530	530
depth (mm)	d	175	175	175
capacity (l)		1,1	1,1	1,1
central heating (W)		98	98	-
electric (W)		-	-	200

NEW Q

TOWEL WARMER

Design, color and functionality are the perfect combination that originated the towel warmer New Q.

It is a flexible radiator, presenting a design with details and matte effects in strong tones.





MATERIAL stainless steel / steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE




RAL COLOUR

ACCESSORIES




MIMOO
SWITCH

VERSION: CENTRAL HEATING



VERSION: ELECTRIC II



		central heating		electric
model		NQ 550E	NQ 550L	NQ 550
height (mm)	a	550	550	550
width between axles (mm)	b	450	500	-
total width (mm)	c	530	530	530
depth (mm)	d	210	210	210
capacity (l)		0,4	0,4	0,4
central heating (W)		36	36	-
electric (W)		-	-	200

ELECTRIC ELEMENT II

technical characteristics

power supply - AC 120V, 60Hz

protection class - class I - UL certification

Ingress Protection Rating - IP64

NOTE:

1. When the position of the electric element is not identified It will always be placed in the lower right side;
2. All our electric heaters consist of electric heater cartridge (heater bar) and thermal fluid.
3. Foursteel® reserves the right to change all the products and related drawings featured in this catalogue without any prior notice.
4. All Foursteel® products are adaptable in terms of size and capacity.

RAL COLORS: color subject to confirmation.

WHITE: RAL 9016 (Standard version)

BASIC LINE

the simple line

BASIC LINE 156

BASIC LINE

TOWEL WARMER

Basic Line is a practical, simple and economical solution for the need to warm towels and the bathroom. In stainless steel or carbon steel (normal steel), the Basic Line is available in electric, central heating or mixed version.





MATERIAL stainless steel / steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE



RAL COLOUR


ACCESSORIES




MIMOO
SWITCH



VERSION: CENTRAL HEATING




VERSION: ELECTRIC II



model		BL800E	BL800L	BL800XL	BL1200E	BL1200L	BL1200XL
height (mm)	a	780	780	780	1200	1200	1200
width between axles (mm)	b	450	500	600	450	500	600
total width (mm)	c	485	535	635	485	535	635
depth (mm)	d	90	90	90	90	90	90
capacity (l)		2,90	3,16	3,68	4,19	4,56	5,29
central heating (W)		259,1	282,2	328,5	374,4	407,1	472,7
electric (W)		300	300	300	600	600	600

VERSION: CENTRAL HEATING



BL1400E	BL1400L	BL1400XL	BL1400 IO	BL1800E	BL1800L	BL1800XL	model
1380	1380	1380	1380	1800	1800	1800	a (mm) height
450	500	600	600	450	500	600	b (mm) width between axles
485	535	635	535	485	535	635	c (mm) total width
90	90	90	90	90	90	90	d (mm) depth
4,90	5,33	6,19	5,33	6,55	7,14	8,30	(l) capacity
437,8	476,2	553,0	476,2	585,5	637,5	741,7	(W) central heating
600	600	600	-	1000	1000	1000	(W) electric

ELECTRIC ELEMENT II

technical characteristics

power supply - AC 120V, 60Hz

protection class - class I - UL certification

Ingress Protection Rating - IP64

NOTE:

1. When the position of the electric element is not identified It will always be placed in the lower right side;
2. All our electric heaters consist of electric heater cartridge (heater bar) and thermal fluid.
3. Foursteel® reserves the right to change all the products and related drawings featured in this catalogue without any prior notice.
4. All Foursteel® products are adaptable in terms of size and capacity.

RAL COLORS: color subject to confirmation.

WHITE: RAL 9016 (Standard version)

DESIGN COLLECTION

DIAMOND	164
DIAMOND XS	169
ARENA	172
ARENA TABLE	178

DIAMOND


DESIGN RADIATOR

DESIGNER: PATRICK PEDROSA

Diamond was conceived to satisfy the need for heating solutions that accompany the conceptual evolution and differentiation of modern spaces.

Its value lies in the geometric shape that resembles diamonds, in the colors and heating emission capacity.










DIAMOND XS


DESIGN RADIATOR

DESIGNER: PATRICK PEDROSA






VERSION: CENTRAL HEATING



VERSION: ELECTRIC II



MATERIAL stainless steel / steel

FINISHINGS



BRUSHED



TEXTURED
BLACK



WHITE



RAL COLOUR

TITANIUM FINISH *



GOLD



COPPER


ACCESSORIES



MIMOO
SWITCH



WALL VALVE



model		D XS	D 1200H	D 1500V
height	(mm) a	1040	1050	1560
width between axles	(mm) b	50	50	50
total width	(mm) c	900	1560	1050
depth	(mm) d	110	110	110
capacity	(l)	4,75	11,18	11,18
weight	(kg)	≈ 35	≈ 75	≈ 75
central heating	(W)	568	1205	1205
electric	(W)	600-1000	1600-2000	1600-2000

ARENA

DESIGN RADIATOR

DESIGNER: PATRICK PEDROSA

The design radiator Arena approaches heating in a different way. Retro inspired, it is a flexible and functional element of decoration, adaptable to different spaces.

The Arena can be customized through the choice and combination of different materials and finishes.





textured black + white





textured black + white



white + polished




white




textured black

VERSION: CENTRAL HEATING



VERSION: ELECTRIC II



MATERIAL stainless steel / steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE



RAL COLOUR

TITANIUM FINISH *



GOLD



COPPER

ACCESSORIES




MIMOO
SWITCH




WALL VALVE


ARENA 800



ARENA 1200



ARENA 1400



model		A 800	A 1200	A 1400
height (mm)	a	300	300	300
width between axles (mm)	b	50	50	50
total width (mm)	c	800	1200	1400
depth (mm)	d	270	270	270
capacity (l)		5,32	7,78	9,04
weight (kg)		~30	~45	~55
central heating (W)		578	801	913
electric (W)		600	1000	1500

ARENA TABLE

DESIGN RADIATOR



DESIGNER: PATRICK PEDROSA

These are the ideals behind the conception of the electric radiator Arena Table. Pure design associated with the functionality of heating different spaces.

The simplicity and elegance of its retro inspired shapes allow this radiator to blend in the decoration of your home.



VERSION: ELECTRIC WITH HIDDEN ELEMENT II



MATERIAL stainless steel / steel


FINISHINGS




ACCESSORIES




FRONT VIEW



SIDE VIEW



TOP VIEW



model		AT 1000	AT 1200	AT 1400
height (mm)	a	535	535	535
total width (mm)	b	1000	1200	1400
depth (mm)	c	450	450	450
capacity (l)		7,45	10,89	12,66
weight (kg)		~50	~65	~75
electric (W)		1000	1500	1500

ELECTRIC ELEMENT II

technical characteristics

power supply - AC 120V, 60Hz

protection class - class I - UL certification

Ingress Protection Rating - IP64

NOTE:

1. When the position of the electric element is not identified It will always be placed in the lower right side;
2. All our electric heaters consist of electric heater cartridge (heater bar) and thermal fluid.
3. Foursteel® reserves the right to change all the products and related drawings featured in this catalogue without any prior notice.
4. All Foursteel® products are adaptable in terms of size and capacity.

RAL COLORS: color subject to confirmation.

WHITE: RAL 9016 (Standard version)

ROOM RADIATORS

CURVE	184
D LIGNE	190
DIVINE	196
LINEAR	202
PLANO MOVE	208
PLANO PURE	214
PLANO PURE ON/OFF	220
PLANO +	222
PLANO	228

CURVE

ROOM RADIATOR

Modern and simple lines. The new and extraordinary design radiator developed by Foursteel® is appropriated for cosmopolitan interior spaces. Available in the electric and central heating version.





MATERIAL stainless steel / steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE



RAL COLOUR

ACCESSORIES




MIMOO
SWITCH





WALL VALVE

VERSION: ELECTRIC WITH HIDDEN ELEMENT II

FRONT VIEW



SIDE VIEW




TOP VIEW


model		C2301000	C2301500	C2302000	C3001000	C3001500	C3002000
height (mm)	a	230	230	230	300	300	300
total width (mm)	b	1000	1500	2000	1000	1500	2000
depth (mm)	c	160	160	160	160	160	160
capacity (L)		1,3	2,1	2,9	1,3	2,1	2,9
electric (W)		1600	1800	2000	1600	1800	2000




VERSION: CENTRAL HEATING



solution 1



solution 2



model	C2301000	C2301500	C2302000	C3001000	C3001500	C3002000
height (mm) a	230	230	230	300	300	300
total width (mm) b	1000	1500	2000	1000	1500	2000
depth (mm) c	160	160	160	160	160	160
width between axes (mm) d	800	1300	1800	800	1300	1800
central heating (W)	872	1343	1787	1308	2015	2480

D LIGNE

RADIATOR

Design with glamorous and refined lines. In the segment of the floor radiators developed by Foursteel® appears the D Ligne, a radiator for elegant and contemporary spaces. Available in the electric and central heating version.





MATERIAL stainless steel / steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE



RAL COLOUR

ACCESSORIES



MIMOO
SWITCH




WALL VALVE




VERSION: ELECTRIC WITH HIDDEN ELEMENT II


FRONT VIEW



SIDE VIEW




TOP VIEW



model		DL2301000	DL2301500	DL2302000	DL3001000	DL3001500	DL3002000
height	(mm) a	230	230	230	300	300	300
total width	(mm) b	1000	1500	2000	1000	1500	2000
depth	(mm) c	160	160	160	160	160	160
capacity	(L)	1,4	2,2	3,0	1,4	2,2	3,0
electric	(W)	1600	1800	2000	1600	1800	2000

VERSION: CENTRAL HEATING



model		DL2301000	DL2301500	DL2302000	DL3001000	DL3001500	DL3002000
height (mm)	a	230	230	230	300	300	300
total width (mm)	b	1000	1500	2000	1000	1500	2000
depth (mm)	c	160	160	160	160	160	160
width between axles (mm)	d	860	1360	1860	860	1360	1860
central heating (W)		948	1460	1942	1422	2190	2913

DIVINE


RADIATOR

Contemporary, functional and discrete,
the radiator Divine is easily movable and
adaptable to the comfort of the space it is in.






VERSION: ELECTRIC WITH HIDDEN ELEMENT II




model		DI 1000	DI 1500	DI 2000	DI30 1000	DI30 1500	DI30 2000
height (mm)	a	230	230	230	300	300	300
total width (mm)	b	1000	1500	2000	1000	1500	2000
depth (mm)	c	160	160	160	160	160	160
capacity (L)		1,4	2,2	3,0	1,4	2,2	3,0
electric (W)		1600	1800	2000	1600	1800	2000


VERSION: CENTRAL HEATING



solution 1



solution 2



MATERIAL stainless steel / steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE



RAL COLOUR


ACCESSORIES



MIMOO
SWITCH



WALL VALVE




model		DI 1000	DI 1500	DI 2000	DI30 1000	DI30 1500	DI30 2000
height (mm)	a	230	230	230	300	300	300
total width (mm)	b	1000	1500	2000	1000	1500	2000
depth (mm)	c	160	160	160	160	160	160
width between axles (mm)	d	880	1380	1880	880	1380	1880
central heating (W)		948	1460	1942	1422	2190	2913

LINEAR

ROOM RADIATOR

The radiator Linear is characterized by its high heating performance and adaptability to different spaces.

It is available in polished or brushed stainless steel and white or textured black steel.







MATERIAL stainless steel / steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE



RAL COLOUR

ACCESSORIES




MIMOO
SWITCH



WALL VALVE


VERSION: ELECTRIC WITH HIDDEN ELEMENT II




model		LE 1000	LE 1500	LE 1000+	LE 1500+	LE 2000+	LE30 1000	LE30 1500	LE30 2000
height (mm)	a	240	240	240	240	240	310	310	310
total width (mm)	b	1000	1500	1000	1500	2000	1000	1500	2000
depth (mm)	c	100	100	160	160	160	160	160	160
capacity (L)		1,4	2,2	1,4	2,2	3,0	1,4	2,2	3,0
electric (W)		1600	1800	1600	1800	2000	1600	1800	2000




VERSION: CENTRAL HEATING



solution 1



solution 2



model		LC 1000	LC 1500	LC 2000	LC30 1000	LC30 1500	LC30 2000
height (mm)	a	240	240	240	310	310	310
total width (mm)	b	1000	1500	2000	1000	1500	2000
depth (mm)	c	160	160	160	160	160	160
width between axles (mm)	d	-	-	-	-	-	-
central heating (W)		948	1460	1942	1422	2190	2913

PLANO MOVE

ROOM RADIATOR

Due to its minimalist concept, the Plano Move is proving to be a new solution for the climate of your room area. The Plano Move works as a radiator and adjusts to different sizes by different areas.





MATERIAL stainless steel / steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE




RAL COLOUR


ACCESSORIES



MIMOO
SWITCH




VERSION: ELECTRIC WITH HIDDEN ELEMENT II



NOTE : Electrical heating cartridge with thermal fluid

model		PM400 800	PM500 800	PM600 800	PM400 1200	PM500 1200	PM600 1200	PM400 1400
height (mm)	a	400	500	600	400	500	600	400
total width (mm)	c	800	800	800	1200	1200	1200	1400
depth (mm)	d	40 / 60 / 90	40 / 60 / 90	40 / 60 / 90	40 / 60 / 90	40 / 60 / 90	40 / 60 / 90	40 / 60 / 90
electric (W)		300	300	600	600	600	600	600

model		PM800 400	PM800 500	PM800 600	PM1200 400	PM1200 500	PM1200 600	PM1400 400
height (mm)	a	800	800	800	1200	1200	1200	1400
total width (mm)	c	400	500	600	400	500	600	400
depth (mm)	d	40 / 60 / 90	40 / 60 / 90	40 / 60 / 90	40 / 60 / 90	40 / 60 / 90	40 / 60 / 90	40 / 60 / 90
electric (W)		300	300	600	600	600	600	600



NOTE : Electrical heating cartridge with thermal fluid

PM500 1400	PM600 1400	PM400 1800	PM500 1800	PM600 1800	PM400 2000	PM500 2000	PM600 2000
500	600	400	500	600	400	500	600
1400	1400	1800	1800	1800	2000	2000	2000
40 / 60 / 90	40 / 60 / 90	40 / 60 / 90	40 / 60 / 90	40 / 60 / 90	40 / 60 / 90	40 / 60 / 90	40 / 60 / 90
600	600	600	600	1000	1000	1000	1000

PM1400 500	PM1400 600	PM1800 400	PM1800 500	PM1800 600	PM2000 400	PM2000 500	PM2000 600
1400	1400	1800	1800	1800	2000	2000	2000
500	600	400	500	600	400	500	600
40 / 60 / 90	40 / 60 / 90	40 / 60 / 90	40 / 60 / 90	40 / 60 / 90	40 / 60 / 90	40 / 60 / 90	40 / 60 / 90
600	600	600	600	1000	1000	1000	1000

NOTE: the depth can be 40mm, 60mm or 90mm

PLANO PURE

ROOM RADIATOR

Plano Pure is a radiator with a minimalist design that blends into any environment allowing clean and sober

It is available in the central heating and electric versions. Besides the standard finishes are also available in RAL colors.





electric version with hidden element II with towel rack

MATERIAL stainless steel / steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE



RAL COLOUR

ACCESSORIES




MIMOO
SWITCH




WALL VALVE



VERSION: ELECTRIC II



VERSION: ELECTRIC II




model		PP 650 1200	PP 650 1800	PP 650 2000	PP 1000 1000
height (mm)	a	650	650	650	1000
* width between axles (mm)	b	-	-	-	-
total width (mm)	c	1200	1800	2000	1000
** depth (mm)	d	80	80	80	80
capacity (l)		26,03	33,31	36,99	28,96
weight (kg)		47,4	69,8	77,1	64,6
central heating (W)		2512	3768	4187	3382
electric II (W)		1200	1600	2000	1200


* Different width between axles and positioning of valves according to the client's choice.

** The depth can be less than 80mm.

VERSION: CENTRAL HEATING



VERSION: CENTRAL HEATING



			
PP 1800 550	PP 2000 550	PP 1800 650	PP 2000 650
1800	2000	1800	2000
-	-	-	-
550	550	650	650
80	80	80	80
27,88	28,96	33,31	36,99
59,1	75,2	69,8	77,1
3267	3630	3768	4187
1600	2000	1600	2000

	model
a	(mm) height
b	(mm) width between axles *
c	(mm) total width
d	(mm) depth **
	(l) capacity
	(kg) weight
	(W) central heating
	(W) electric II

NOTE : Electrical heating cartridge with thermal fluid



PLANO PURE ON/OFF

ROOM RADIATOR



PLANO+

ROOM RADIATOR

The radiator Plano + allows a high thermal performance due to the shape and positioning of the thin elements.





MATERIAL stainless steel / steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE



RAL COLOUR










model	P+1200 10	P+1400 10	P+1800 10	P+2000 10	P+1200 25	P+1400 25
no. of elements	10	10	10	10	25	25
height (mm)	1200	1400	1800	2000	1200	1400
total width (mm)	210	210	210	210	510	510
depth (mm)	120	120	120	120	120	120
capacity (l)	4,25	4,91	6,23	6,89	10,61	12,26
weight (kg)	17,14	19,90	25,42	28,18	42,81	49,71
central heating (W)	782	901	1136	1256	1960	2259








model	P+1200 36	P+1400 36	P+1800 36	P+2000 36	P+1200 40	P+1400 40
no. of elements	36	36	36	36	40	40
height (mm)	1200	1400	1800	2000	1200	1400
total width (mm)	730	730	730	730	810	810
depth (mm)	120	120	120	120	120	120
capacity (l)	15,28	17,65	22,38	24,75	16,97	19,60
weight (kg)	61,64	71,57	91,45	101,38	68,48	79,52
central heating (W)	2826	3257	4099	4530	3139	3619









model	P+25 1200	P+25 1400	P+25 1800	P+31 1200	P+31 1400	P+31 1800	P+36 1200
no. of elements	25	25	25	31	31	31	36
weight (mm)	510	510	510	630	630	630	730
total width (mm)	1200	1400	1800	1200	1400	1800	1200
depth (mm)	120	120	120	120	120	120	120
capacity (l)	10,61	12,26	15,55	13,16	15,20	19,28	15,28
weight (kg)	42,81	49,71	63,51	53,08	61,64	78,75	61,64
central heating (W)	1960	2259	2845	2432	2801	3157	2826

						model
P+1800 25	P+2000 25	P+1200 31	P+1400 31	P+1800 31	P+2000 31	no. of elements
25	25	31	31	31	31	
1800	2000	1200	1400	1800	2000	(mm) height
510	510	630	630	630	630	(mm) total width
120	120	120	120	120	120	(mm) depth
15,55	17,19	13,16	15,20	19,28	21,32	(l) capacity
63,51	70,41	53,08	61,64	78,75	87,31	(kg) weight
2845	3146	2432	2801	3157	3902	(W) central heating

						model
P+1800 40	P+2000 40	P+1200 60	P+1400 60	P+1800 60	P+2000 60	no. of elements
40	40	60	60	60	60	
1800	2000	1200	1400	1800	2000	(mm) height
810	810	1210	1210	1210	1210	(mm) total width
120	120	120	120	120	120	(mm) depth
24,87	27,50	25,45	29,40	37,30	41,24	(l) capacity
101,60	112,71	102,71	119,27	152,39	168,95	(kg) weight
4557	5030	4706	5427	6820	7520	(W) central heating

								model
P+36 1400	P+36 1800	P+40 1200	P+40 1400	P+40 1800	P+60 1200	P+60 1400	P+60 1800	no. of elements
36	36	40	40	40	60	60	60	
730	730	810	810	810	1210	1210	1210	(mm) height
1400	1800	1200	1400	1800	1200	1400	1800	(mm) total width
120	120	120	120	120	120	120	120	(mm) depth
17,65	22,38	16,97	19,60	24,87	25,45	29,40	37,30	(l) capacity
71,57	91,45	68,48	79,52	101,60	102,71	119,27	152,39	(kg) weight
3257	4099	3139	3619	4557	4706	5427	6820	(W) central heating

PLANO

ROOM RADIATOR

The soberness and straight lines of the radiator Plano complement the ambiance of any space it is placed in.

Accessories are available to complement and personalize the radiator Plano.





electric version with element II

PLANO

ROOM RADIATOR



MATERIAL stainless steel / steel

FINISHINGS



POLISHED



BRUSHED



TEXTURED
BLACK



WHITE



RAL COLOUR

ACCESSORIES



MIMOO
SWITCH



WALL VALVE



central heating version

* Different width between axles and positioning of the valves according to the client's choice.

								
model	P1200 4	P1400 4	P1800 4	P2000 4	P1200 8	P1400 8	P1800 8	P2000 8
no. of elements	4	4	4	4	8	8	8	8
height (mm)	1200	1400	1800	2000	1200	1400	1800	2000
total width (mm)	221	221	221	221	449	449	449	449
depth (mm)	85	85	85	85	85	85	85	85
capacity (l)	2,01	2,29	2,98	3,25	4,10	4,70	5,98	6,32
weight (kg)	7,24	8,34	10,55	11,65	14,49	16,70	21,12	23,32
central heating (W)	325	379	469	497	654	733	925	956
electric (W)	600	600	600	600	1000	1000	1000	1000

								
model	P1200 11	P1400 11	P1800 11	P2000 11	P1200 14	P1400 14	P1800 14	P2000 14
no. of elements	11	11	11	11	14	14	14	14
height (mm)	1200	1400	1800	2000	1200	1400	1800	2000
total width (mm)	620	620	620	620	791	791	791	791
depth (mm)	85	85	85	85	85	85	85	85
capacity (l)	5,71	6,51	8,26	8,74	6,68	7,60	9,44	10,37
weight (kg)	19,93	22,97	29,04	32,08	25,38	29,24	36,97	40,83
central heating (W)	864	997	1262	1388	1106	1276	1594	1603
electric (W)	1600	2000	2000	2000	2000	2000	2000	2000

								
model	P9 1200	P9 1400	P9 1800	P10 1200	P10 1400	P10 1800	P11 1200	P11 1400
no. of elements	9	9	9	10	10	10	11	11
height (mm)	506	506	506	563	563	563	620	620
total width (mm)	1200	1400	1800	1200	1400	1800	1200	1400
depth (mm)	85	85	85	85	85	85	85	85
capacity (l)	4,54	5,30	6,69	5,11	5,97	7,44	5,71	6,51
weight (kg)	16,31	18,79	23,76	18,12	20,88	26,40	19,93	22,97
central heating (W)	713	829	1002	814	933	1142	864	997
electric (W)	1200	1200	1200	1200	1200	1200	1200	1600

								model
P1200 9	P1400 9	P1800 9	P2000 9	P1200 10	P1400 10	P1800 10	P2000 10	no. of elements
9	9	9	9	10	10	10	10	(mm) height
1200	1400	1800	2000	1200	1400	1800	2000	(mm) total width
506	506	506	506	563	563	563	563	(mm) depth
85	85	85	85	85	85	85	85	(l) capacity
4,54	5,30	6,69	7,21	5,11	5,97	7,44	8,10	(kg) weight
16,31	18,79	23,76	26,24	18,12	20,88	26,40	29,16	(W) central heating
713	829	1022	1117	814	933	1142	1263	(W) electric
1200	1600	2000	2000	1200	1200	2000	2000	

				model
P1200 21	P1400 21	P1800 21	P2000 21	no. of elements
21	21	21	21	(mm) height
1200	1400	1800	2000	(mm) total width
1190	1190	1190	1190	(mm) depth
85	85	85	85	(l) capacity
10,03	11,41	14,17	15,55	(kg) weight
38,07	43,87	55,46	62,55	(W) central heating
1649	1899	2390	2641	(W) electric
2000	2000	2000	2000	

							model
P11 1800	P14 1200	P14 1400	P14 1800	P21 1200	P21 1400	P21 1800	no. of elements
11	14	14	14	21	21	21	(mm) height
620	791	791	791	1190	1190	1190	(mm) total width
1800	1200	1400	1800	1200	1400	1800	(mm) depth
85	85	85	85	85	85	85	(l) capacity
8,26	6,68	7,60	9,44	10,03	11,41	14,17	(kg) weight
29,04	25,38	29,24	36,97	38,07	43,87	55,46	(watt) central heating
1262	1106	1276	1594	1649	1899	2390	(watt) electric
2000	1600	1600	2000	1600	2000	2000	

ACCESSORIES

MIMOO SWITCH	236
ELECTRIC ELEMENTS	238
VALVES AND RETAINERS	240
OTHER ACCESSORIES	248



MIMOO SWITCH

Foursteel presents a new device to control the towel warmer or radiator.
Totally stainless steel, the minimalist concept fits with all electrical Foursteel heating products.



PVD BRUSHED GOLD



PVD POLISHED GOLD



PVD BRUSHED COPPER



PVD POLISHED COPPER




BRUSHED



POLISHED



TEXTURED BLACK



WHITE

ELECTRIC ELEMENTS

power supply - AC 120V, 60Hz

protection class - class I - UL certification

Ingress Protection Rating - IP64 / IP67

ELECTRIC ELEMENT II



		
	class	2
	IP	IP64 / IP67*
	vertical alignment	●
●	horizontal alignment	●
	on/off	
	temperature control	
	timer 2h	
	room temperature sensor	
	programmable	

* Only for the electric element of 40W


VALVES AND RETAINERS

ACCESSORIES

VALVE KIT 1

Square manual angled valve

Square manual angled retainer



CHROME



BRUSHED



WHITE



BLACK

VALVE KIT 2

Square manual angled valve

Square manual angled retainer



CHROME



BRUSHED

VALVE KIT 3

Round manual angled valve and retainer



CHROME



BRUSHED

VALVE KIT 4

Round manual angled valve and retainer



CHROME



BRUSHED

Round manual angled valve and retainer



WHITE



BLACK

Round manual angled valve and retainer



WHITE



BLACK

VALVE KIT 5

Rewind manual valve



CHROME BRUSHED

Rewind manual valve
french style



CHROME BRUSHED

VALVE KIT 6

Manual valve and retainer



CHROME BRUSHED

Manual valve and retainer



WHITE

Rewind manual valve
english style



CHROME



BRUSHED

* You must buy two valves for each radiator.

VALVE KIT 7

Round manual angled valve and retainer



CHROME



BRUSHED




CHROME



BRUSHED

THERMOSTATIC KIT 1

Thermostatic valve
Retainer



THERMOSTATIC KIT 2

Valve with thermostatic head

Retainer



Thermostatic head + Cover



CHROME



BRUSHED



WHITE



CHROME



BRUSHED



WHITE

WALL VALVE KIT 1

Thermostatic valves



CHROME



BRUSHED

OTHER ACCESSORIES

MIXED ADAPTER I

Adapter for mixed version



CHROME



BRUSHED



WHITE

MIXED ADAPTER II

Adapter for mixed version



CHROME



BRUSHED



WHITE

SUPPORTS

Support I



CHROME BRUSHED


Support II



CHROME BRUSHED


AIR VENT

Air vent 1/2"



CHROME

Air vent 1/8"



CHROME

Certification of electrical products, according to the standards:

IECEN 60335-2-43:

IEC 60335-1:2010 + COR1: 2010 + COR2:2011 + A1:2013 EN 60335-1:2012 + AC:2014 + A11:2014

IEC 60335-2-43:2002 + A1:2005 + A2:2008 EN 60335-2-43:2003 + A1:2006 + A2:2008

Certification of central heating products, according to the standard UN:

EN442 - 2

FOURSTEEL®

[heating products factory]

Foursteel - Produtos em Inox, Lda
Centro Empresarial de Aveiro
Zona Industrial de Mamodeiro
3810-783 Aveiro
PORTUGAL

T +351 234 111 967

T +351 234 107 263

geral@foursteel.eu

+351 935 212 579



www.foursteel.eu

