

**FOURSTEEL®**

[ heating products factory ]

HEATING PRODUCTS DESIGNED  
AND DEVELOPED BY FOURSTEEL®

26

NORTH AMERICA VERSION




# **FOURSTEEL**®

CORPORATE

Foursteel is a Portuguese producer of design heating radiators and towel warmers.

Focused on market needs, in collaboration with architects and designers creates distinctive radiators in stainless steel and steel, developing efficient heating solutions with contemporary and minimalist concepts.

# FOURSTEEL® INDEX



**10**  
AIR ROUND



**14**  
AIR SQUARE




**16**  
AIR DOUBLE SQUARE



**16**  
MINIMAL



**20**  
MINIMAL X




**22**  
M TUBE



**24**  
M TUBE SQUARE



**26**  
M TUBE ROUND



**28**  
M SLIM



**30**  
M SLIM SQUARE



**32**  
FOURSLIM BY ARCH.



**36**  
FOURSLIM ON OFF



**38**

FOURSLIM SQUARE



**42**

FOURSLIM SQUARE  
ON OFF



**44**

FOURSLIM SQUARE  
LED



**46**

SKINNY



**50**

STEEL GLAM



**54**

STEEL ELEGANCE




**56**

FOURFOZ




**58**

FOURFOZ ON OFF



**60**

STEEL WAVE



**62**

STEEL STONE



**64**

MIRAGE



**66**

STEEL CLASSIC



**68**

STEEL GLAMOUR




**70**

STEEL STYLE



**72**

NEW SLIM



**74**

BASIC LINE




**78**

NEW BASIC



**82**

EMPRESS




**84**

OLD BEAUTY




**86**

REMIND




**88**

FLOOR REMIND



**90**

RETRO SPECIAL



**92**

DIAMOND



**94**

DIAMOND XS



**95**

ARENA TABLE



**96**

ARENA



**98**

CURVE



**100**

D LIGNE



**102**

DIVINE



**104**

LINEAR

# FOURSTEEL® INDEX



**106**  
PLANO MOVE




**108**  
PLANO PURE



**110**  
PLANO PURE ON OFF



**112**  
PLANO +



**116**  
PLANO



**118**  
DOMOTIC TOUCH



**120**  
SWITCH ON OFF



**122**  
MIMOO SWITCH



**117**  
ELECTRICAL SWITCHES  
ROUND



**125**  
VALVES



**126**  
OTHER ACCESSORIES



**130**

# **FOURSTEEL®**

Foursteel, Lda  
Centro Empresarial de Aveiro  
Zona Industrial de Mamodeiro  
3810-783 Aveiro  
PORTUGAL

T +351 234 111 967

T +351 234 107 263

[www.foursteel.eu](http://www.foursteel.eu)

[geral@foursteel.eu](mailto:geral@foursteel.eu)

+351 935 212 579

#### IMPORTANT NOTES:

1. When the position of the electric element is not identified It will always be placed in the lower right side;
2. All our electric heaters consist of electric heater cartridge (heater bar) and thermal fluid.
3. Foursteel® reserves the right to change all the products and related drawings featured in this catalogue without any prior notice.
4. All Foursteel® products are adaptable in terms of size and capacity.

---

RAL COLORS: color subject to confirmation.

WHITE: RAL 9016 (Standard version)

---

Certification of electrical products, according to the standards:

IECEN 60335-2-43:

IEC 60335-1:2010 + COR1: 2010 + COR2:2011 + A1:2013 EN 60335-1:2012 + AC:2014 + A11:2014

IEC 60335-2-43:2002 + A1:2005 + A2:2008 EN 60335-2-43:2003 + A1:2006 + A2:2008

Certification of central heating products, according to the standard UN:

EN442 - 2

UL Certification:

UL 499 - Electric Heating Appliances

E506585










# AIR ROUND

TOWEL WARMER

## FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

## PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

## ACCESSORIES



-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round

## VERSION

-  Electric

## MATERIAL

-  Stainless Steel








model		AR1200550	AR1200800
height (mm)	a	1200	1200
total width (mm)	c	550	800
depth (mm)	d	30	30
capacity (l)		0,4	0,6
electric (W)		40	40



# AIR SQUARE

TOWEL WARMER


FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round



VERSION



Electric

MATERIAL

/// Stainless Steel








model	ASQ1200550	ASQ1200800
height (mm) a	1200	1200
total width (mm) c	550	800
depth (mm) d	30	30
capacity (l)	0,4	0,6
electric (W)	40	40



# AIR DOUBLE SQUARE

TOWEL WARMER




## FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

## PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

## ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round



## VERSION



Electric

## MATERIAL

/// Stainless Steel



model		ADSQ1200550	ADSQ1200800
height (mm)	a	1200	1200
total width (mm)	c	550	800
depth (mm)	d	150	150
capacity (l)		0,8	1,2
electric (W)		40 x2	40 x2

# MINIMAL






TOWEL WARMER

ARCHITECT: MANUEL AIRES MATEUS

Palácio Condes de Murça in Lisbon.



## FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

## PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

## ACCESSORIES


-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round

## VERSION

-  Electric



## MATERIAL

-  Stainless Steel



model		M 900	M 1200	M 1400	M 1800
height (mm)	a	900	1200	1400	1800
total width (mm)	c	35	35	35	35
depth (mm)	d	23	23	23	23
capacity (l)		0,6	0,8	1,0	1,3
electric (W)		100	150	150	200

TOP VIEW






# MINIMAL X

TOWEL WARMER







FRONT VIEW



SIDE VIEW



SIDE VIEW



\*\* the second support is only implemented in the model MX1800






model		MX 900	MX 1200	MX 1400	MX 1800
height (mm)	a	900	1200	1400	1800
total width (mm)	c	50	50	50	50
depth (mm)	d	50	50	50	50
capacity (l)		0,6	0,8	1,0	1,3
electric (W)		100	150	150	200

# M TUBE

TOWEL WARMER



FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES


-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round

VERSION

-  Electric

MATERIAL



-  Stainless Steel








model	MT3 550	additional elem.	MT3 800	additional elem.
no. of elements	3	1	3	1
height (mm) a	30	30	30	30
width between elements (mm) b	120	-	120	-
total width (mm) c	550	550	800	800
depth (mm) d	120	120	120	120
capacity (l)	3x0,4	0,4	3x0,6	0,6
electric (W)	3x40	40	3x40	40

# M TUBE SQUARE

TOWEL WARMER




### FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

### PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

### ACCESSORIES



-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round

### VERSION

-  Electric

### MATERIAL

-  Stainless Steel








model	MTS3 550 additional elem.		MTS3 800 additional elem.	
	no. of elements		3	1
height (mm)	a	30	30	30
width between elements (mm)	b	120	-	120
total width (mm)	c	550	550	800
depth (mm)	d	120	120	120
capacity (l)		3x0,4	0,4	3x0,6
electric (W)		3x40	40	3x40

# M TUBE ROUND

TOWEL WARMER



FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES



-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round

VERSION

-  Electric

MATERIAL

-  Stainless Steel




model	MTR3 550 additional elem.		MTR3 800 additional elem.	
	3	1	3	1
no. of elements	3	1	3	1
height (mm) a	30	30	30	30
width between elements (mm) b	120	-	120	-
total width (mm) c	550	550	800	800
depth (mm) d	120	120	120	120
capacity (l)	3x0,4	0,4	3x0,6	0,6
electric (W)	3x40	40	3x40	40








# M SLIM

TOWEL WARMER







#### FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

#### PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

#### ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round


#### VERSION

-  Electric

#### MATERIAL

-  Stainless Steel

\*\* Products not provided by Foursteel.




model	MS3 600	additional elem.
no. of elements	3	1
height (mm)	a	30
width between elements (mm)	b	-
total width (mm)	c	600
depth (mm)	d	80
capacity (l)	3x0,6	0,6
electric (W)	3x40	40








# M SLIM SQUARE

TOWEL WARMER






#### FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

#### PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

#### ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round


#### VERSION

-  Electric

#### MATERIAL

-  Stainless Steel






\*\* Products not provided by Foursteel.



model	MSS3 600 additional elem.	
no. of elements	3	1
height (mm) a	30	30
width between elements (mm) b	120	-
total width (mm) c	600	600
depth (mm) d	80	80
capacity (l)	3x0,6	0,6
electric (W)	3x40	40







#### FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour




#### PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

#### ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round
-  Wall Valve

#### VERSION

-  Central Heating
-  Electric
-  Mixed

#### MATERIAL

-  Stainless Steel


sold individually

# FOURSLIM BY ARCH.

TOWEL WARMER


### CENTRAL HEATING - solution 1

The connection of water inlet is done by a system of wall valves outside of the product.



### CENTRAL HEATING - solution 2

Hidden valves



#### central heating - wall valve system


FSA 800	FSA 1200	FSA 1400
800	1200	1400
620	1020	1220
42	42	42
100	100	100
0,7	0,9	1,2
63	97	124

#### central heating - valves

FSA 800	FSA 1200	FSA 1400
800	1200	1400
620	1020	1220
42	42	42
130	130	130
0,7	0,9	1,2
63	97	124

	model
a (mm)	height
b (mm)	width between axles
c (mm)	total width
d (mm)	depth
(l)	capacity
(W)	central heating

VERSION: HIDDEN ELECTRIC ELEMENT II



Electric version: in the horizontal position the depth is 75mm.






		hidden electric element II			mixed version - wall valve + electric II		
model		FS 800	FS 1200	FS 1400	FSM 800	FSM 1200	FSM 1400
height (mm)	a	800	1200	1400	880	1280	1480
width between axles (mm)	b	-	-	-	620	1020	1220
total width (mm)	c	35	35	35	42	42	42
depth (mm)	d	65	65	65	100	100	100
capacity (l)		0,6	0,8	1,0	0,7	0,9	1,2
central heating (VW)		-	-	-	63	97	124
electric (VW)		40	100	100	40	100	100



# FOURSLIM ON/OFF

TOWEL WARMER





## FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour




## PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

## ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round
-  Wall Valve

## VERSION

-  Central Heating
-  Electric
-  Mixed


## MATERIAL

-  Stainless Steel

## BOTTOM VIEW



## HIDDEN ELECTRIC ELEMENT II



Electric version: in the horizontal position the depth is 82mm.






		hidden electric element II - on/off			mixed version - wall valve + on/off		
model		FSO 800	FSO 1200	FSO 1400	FSOM 800	FSOM 1200	FSOM 1400
height (mm)	a	800	1200	1400	800	1200	1400
width between axles (mm)	b	-	-	-	520	920	1120
total width (mm)	c	42	42	42	42	42	42
depth (mm)	d	72	72	72	100	100	100
capacity (l)		0,6	0,8	1,0	0,7	0,9	1,2
central heating (W)		-	-	-	63	97	124
electric (W)		100	100	150	40	100	100



# FOURSLIM SQUARE

TOWEL WARMER





## FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour




## PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

## ACCESSORIES


-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round
-  Wall Valve


## VERSION

-  Central Heating
-  Electric
-  Mixed

## MATERIAL

-  Stainless Steel





Electric version: in the horizontal position the depth is 80mm.

hidden electric element II			mixed version - wall valve + electric			
FSG 800	FSG 1200	FSG 1400	FSQM 800	FSQM 1200	FSQM 1400	model
800	1200	1400	880	1280	1480	a (mm) height
-	-	-	620	1020	1220	b (mm) width between axes
40	40	40	40	40	40	c (mm) total width
70	70	70	98	98	98	d (mm) depth
0,6	0,8	1,0	0,7	0,9	1,2	(l) capacity
-	-	-	63	97	124	(W) central heating
100	100	150	40	100	100	(W) electric


## CENTRAL HEATING - solution 1

The connection of water inlet is done by a system of wall valves outside of the product.



## CENTRAL HEATING - solution 2

Hidden valves








		central heating - wall valve system			central heating - valves		
model		FSQA 800	FSQA 1200	FSQA 1400	FSQA 800	FSQA 1200	FSQA 1400
height (mm)	a	800	1200	1400	800	1200	1400
width between axles (mm)	b	620	1020	1220	620	1020	1220
total width (mm)	c	40	40	40	40	40	40
depth (mm)	d	98	98	98	128	128	128
capacity (l)		0,7	0,9	1,2	0,7	0,9	1,2
central heating (W)		63	97	124	63	97	124

**FOURSLIM  
SQUARE  
ON/OFF**

TOWEL WARMER







FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round
-  Wall Valve


VERSION

-  Electric
-  Mixed

MATERIAL

-  Stainless Steel

VERSION: HIDDEN ELECTRIC ELEMENT II




Electric version: in the horizontal position the depth is 80mm.






		hidden electric element II			mixed version - wall valve + electric II		
model		FSGO800	FSGO1200	FSGO1400	FSGQM800	FSGQM1200	FSGQM1400
height (mm)	a	800	1200	1400	800	1200	1400
width between axles (mm)	b	-	-	-	520	920	1120
total width (mm)	c	40	40	40	40	40	40
depth (mm)	d	70	70	70	98	98	98
capacity (l)		0,6	0,8	1,0	0,7	0,9	1,2
central heating (W)		-	-	-	63	97	124
electric (W)		100	100	150	100	100	150

**FOURSLIM  
SQUARE  
LED**

TOWEL WARMER






FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round


VERSION

-  Electric

MATERIAL

-  Stainless Steel

VERSION: HIDDEN ELECTRIC ELEMENT II








model		FSQL 800	FSQL 1200	FSQL 1400
height (mm)	a	800	1200	1400
width between axles (mm)	b	-	-	-
total width (mm)	c	40	40	40
depth (mm)	d	70	70	70
capacity (l)		0,6	0,8	1,0
electric (W)		100	100	150



**SKINNY**  
TOWEL WARMER



FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round


VERSION

-  Electric

MATERIAL

-  Stainless Steel




VERSION: FLOOR MOUNTED




		floor mounted		
model		SK 900	SK 1200	SK 1400
height (mm)	a	900	1200	1400
total width (mm)	b	90	90	90
tube diameter (mm)	c	42	42	42
capacity (l)		0,6	0,8	1,0
electric (W)		100	100	150



VERSION: MOBILE



OPTION A  
electric cable exit through  
the bottom



OPTION B  
lateral exit of the  
electric cable

NOTE: Also available in the square version.






		mobile		
model		SKM 900	SKM 1200	SKM 1400
height (mm)	a	900	1200	1400
total width (mm)	b	280	280	280
tube diameter (mm)	c	42	42	42
capacity (l)		0,6	0,8	1,0
electric (W)		100	100	150



# STEEL GLAM

TOWEL WARMER

## FINISHINGS





-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

## PVD FINISHING

maximum dimensions of 1000mm

-  Champagne
-  Gold
-  Copper
-  Gun Metal

## ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round
-  Wall Valve

## VERSION

-  Central Heating
-  Electric

## MATERIAL

-  Stainless Steel



STEEL GLAM normal  
(SG)




STEEL GLAM sharp corner  
(SGS)


	model	SG 800E	SG 800L	SG 1200E	SG 1200L	SG 1800E	SG 1800L
height (mm)	a	800	800	1200	1200	1800	1800
width between axles (mm)	b	450	500	450	500	450	500
total width (mm)	c	480	530	480	530	480	530
depth (mm)	d	90	90	90	90	90	90
capacity (l)		2,8	3,1	4,0	4,6	6,6	7,1
central heating (W)		250	296	360	438	613	657
electric (W)		300	300	600	600	1000	1000



VERSION: CENTRAL HEATING



VERSION: HIDDEN ELECTRIC ELEMENT II







# STEEL ELEGANCE

TOWEL WARMER



FINISHINGS

-  Polished
-  Brushed

ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round


VERSION

-  Central Heating
-  Electric


MATERIAL

-  Stainless Steel


VERSION: ELECTRIC II



VERSION: CENTRAL HEATING



VERSION: ELECTRIC II



	model	ELG 800E	ELG 800L	ELG 1200E	ELG 1200L	ELG 1800E	ELG 1800L
height (mm)	a	800	800	1200	1200	1800	1800
width between axles (mm)	b	450	500	450	500	450	500
total width (mm)	c	480	530	480	530	480	530
depth (mm)	d	87	87	87	87	87	87
capacity (l)		1,6	1,8	2,4	2,7	3,3	3,7
central heating (W)		144	160	216	240	377	419
electric (W)		200	200	300	300	600	600






# FOURFOZ

TOWEL WARMER

ARCHITECT: EDUARDO SOUTO DE MOURA







## FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour




## PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

## ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round
-  Wall Valve


## VERSION

-  Central Heating
-  Electric
-  Mixed


## MATERIAL

-  Stainless Steel

## VERSION: CENTRAL HEATING



## VERSION: ELECTRIC II



model		FF 525L	FF 800L
height	(mm) a	525	800
width between axles	(mm) b	500	500
total with	(mm) c	525	525
depth	(mm) d	100	100
capacity	(l)	0,8	1,2
central heating	(W)	98	139
electric	(W)	100	150




# FOURFOZ ON OFF

TOWEL WARMER

ARCHITECT: EDUARDO SOUTO DE MOURA





model		FFO 525E	FFO 525L	FFO 800E	FFO 800L
height (mm)	a	525	525	800	800
width between axles (mm)	b	450	500	450	500
total with (mm)	c	475	525	475	525
depth (mm)	d	100	100	100	100
electric (W)		100	100	150	150



# STEEL WAVE

TOWEL WARMER

FINISHINGS

-  Polished
-  Brushed

ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round


VERSION

-  Central Heating
-  Electric


MATERIAL

-  Stainless Steel


VERSION: ELECTRIC II



VERSION: CENTRAL HEATING



VERSION: ELECTRIC II




model		SW800L	SW800XL	SW1200L	SW1200XL	SW1400L	SW1400XL
height	(mm) a	896	896	1136	1136	1376	1376
width between axles	(mm) b	50	50	50	50	50	50
total width	(mm) c	500	600	500	600	500	600
depth	(mm) d	90	90	90	90	90	90
capacity	(l)	3,1	3,5	4,0	4,6	6,1	6,9
central heating	(W)	279	317	360	438	545	616
electric	(W)	200	200	300	300	600	600

# STEEL STONE


TOWEL WARMER




## FINISHINGS



## ACCESSORIES



## VERSION



## MATERIAL




The covering material should support temperatures up to 120 °C.


Recommended material: natural stones, like marble and granite.

Stone not included.

## VERSION: CENTRAL HEATING



## VERSION: ELECTRIC II








model		SS600600	SS400900	SS600900	SS4001200	SS6001200	SS8001200
height (mm)	a	600	400	600	400	600	800
width between axles (mm)	b	560	860	860	1160	1160	1160
total width (mm)	c	600	900	900	1200	1200	1200
depth (mm)	d	110	110	110	110	110	110
capacity (l)		3,6	4,2	4,7	5,6	5,8	7,2
central heating (W)		322	379	419	500	524	647
electric (W)		300	300	600	600	600	1000



# MIRAGE

TOWEL WARMER


FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

PVD FINISHING

-  Champagne
-  Gold
-  Copper
-  Gun Metal

ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round




VERSION



MATERIAL



VERSION: ELECTRIC II





model	MIR800150	MIR1000150	MIR1200150	MIR1400150
height (mm) a	800	1000	1200	1400
total width (mm) c	150	150	150	150
depth (mm) d	80	80	80	80
electric (W)	100	100	150	150



# STEEL CLASSIC

TOWEL WARMER

FINISHINGS

-  Polished
-  Brushed

ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round


VERSION

-  Central Heating
-  Electric


MATERIAL

-  Stainless Steel

VERSION: CENTRAL HEATING



VERSION: ELECTRIC II





model		T 800E	T 800L	T 1200E	T 1200L	T 1800E	T 1800L
height (mm)	a	800	800	1200	1200	1800	1800
width between axes (mm)	b	450	500	450	500	450	500
total width (mm)	c	492	542	492	542	492	542
depth (mm)	d	87	87	87	87	87	87
capacity (l)		2,5	2,6	3,6	3,7	5,6	5,9
central heating (W)		221	234	323	353	497	547
electric (W)		200	200	300	300	600	600



# STEEL GLAMOUR

TOWEL WARMER

FINISHINGS

-  Polished
-  Brushed

ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round


VERSION

-  Central Heating
-  Electric


MATERIAL

-  Stainless Steel

VERSION: CENTRAL HEATING



VERSION: ELECTRIC II





model		Q 800E	Q 800L	Q 1200E	Q 1200L	Q 1800E	Q 1800L
height (mm)	a	800	800	1200	1200	1800	1800
width between axles (mm)	b	450	500	450	500	450	500
total width (mm)	c	480	530	480	530	480	530
depth (mm)	d	90	90	90	90	90	90
capacity (l)		2,8	3,1	4,0	4,6	6,9	7,4
central heating (W)		250	296	360	438	642	689
electric (W)		300	300	600	600	1000	1000






# STEEL STYLE

TOWEL WARMER



## FINISHINGS

-  Textured Black
-  White 9016 Satin

## ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round


## VERSION

-  Central Heating
-  Electric


## MATERIAL

-  Steel


## VERSION: CENTRAL HEATING



## VERSION: ELECTRIC II








model		F 800E	F 800L	F 1200E	F 1200L	F 1800E	F 1800L
height (mm)	a	800	800	1200	1200	1800	1800
width between axles (mm)	b	450	500	450	500	450	500
total width (mm)	c	492	542	492	542	492	542
depth (mm)	d	87	87	87	87	87	87
capacity (l)		2,5	2,5	3,6	3,7	5,6	5,9
central heating (W)		221	234	323	353	497	547
electric (W)		200	200	300	300	600	600



**NEW SLIM**




## FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

## ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round


## VERSION

-  Central Heating
-  Electric
-  Mixed


## MATERIAL

-  Stainless Steel
-  Steel


VERSION: ELECTRIC II



VERSION: CENTRAL HEATING



VERSION: MIXED








		central heating		electric
model		NS 400 E	NS 400 L	NS 400
height (mm)	a	400	400	400
width between axles (mm)	b	450	500	-
total width (mm)	c	830	830	830
depth (mm)	d	90	90	90
capacity (l)		2,1	2,1	2,1
central heating (W)		242	242	-
electric (W)		-	-	200

# BASIC LINE


TOWEL WARMER






FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round



VERSION

-  Central Heating
-  Electric
-  Mixed

MATERIAL

-  Stainless Steel
-  Steel


VERSION: CENTRAL HEATING






BL800E	BL800L	BL800XL	BL1200E	BL1200L	BL1200XL	model
780	780	780	1200	1200	1200	a (mm) height
450	500	600	450	500	600	b (mm) width between axles
485	535	635	485	535	635	c (mm) total width
90	90	90	90	90	90	d (mm) depth
2,90	3,16	3,68	4,19	4,56	5,29	(l) capacity
259,1	282,2	328,5	374,4	407,1	472,7	(W) central heating
300	300	300	600	600	600	(W) electric


VERSION: ELECTRIC II - STANDARD



VERSION: MIXED




VERSION: ELECTRIC II (HIDDEN)








model		BL1400E	BL1400L	BL1400XL	BL1400 IO	BL1800E	BL1800L	BL1800XL
height (mm)	a	1380	1380	1380	1380	1800	1800	1800
width between axles (mm)	b	450	500	600	600	450	500	600
total width (mm)	c	485	535	635	535	485	535	635
depth (mm)	d	90	90	90	90	90	90	90
capacity (l)		4,90	5,33	6,19	5,33	6,55	7,14	8,30
central heating (W)		437,8	476,2	553,0	476,2	585,5	637,5	741,7
electric (W)		600	600	600	-	1000	1000	1000

# NEW BASIC

TOWEL WARMER






## FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

## ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round


## VERSION

-  Central Heating
-  Electric
-  Mixed


## MATERIAL

-  Stainless Steel
-  Steel


## VERSION: MIXED




## VERSION: CENTRAL HEATING



VERSION: ELECTRIC II - STANDARD




VERSION: ELECTRIC II (HIDDEN)




NB800E	NB800L	NB800XL	NB1200E	NB1200L	NB1200XL	model
800	800	800	1200	1200	1200	a (mm) height
450	500	600	450	500	600	b (mm) width between axles
485	535	635	485	535	635	c (mm) total width
90	90	90	90	90	90	d (mm) depth
2,5	2,5	2,7	3,6	3,7	3,9	(l) capacity
218	226	293	318	329	351	(W) central heating
200	200	200	300	300	300	(W) electric

VERSION: CENTRAL HEATING




VERSION: ELECTRIC II




model		NB1400E	NB1400L	NB1400XL	NB1400IO	NB1800E	NB1800L	NB1800XL
height (mm)	a	1448	1448	1448	1448	1800	1800	1800
width between axes (mm)	b	450	500	600	500	450	500	600
total width (mm)	c	485	535	635	535	485	535	635
depth (mm)	d	90	90	90	90	90	90	90
capacity (l)		4,3	4,5	4,8	4,5	5,4	5,6	6,0
central heating (W)		381	396	423	396	481	499	532
electric (W)		300	300	300	-	600	600	600



*Empress*  
TOWEL WARMER




## FINISHINGS




PVD FINISHING  
maximum dimensions of 1000mm



## ACCESSORIES





## VERSION






## MATERIAL



## VERSION: ELECTRIC II (HIDDEN)



## VERSION: MIXED




model		E 800E	E 800L	E 1200E	E 1200L	E 1800E	E 1800L
height (mm)	a	800	800	1200	1200	1800	1800
width between axles (mm)	b	450	500	450	500	450	500
total width (mm)	c	570	620	570	620	570	620
depth (mm)	d	120	120	120	120	120	120
capacity (l)		2,22	2,29	3,27	3,41	4,49	4,70
central heating (W)		200	206	294	307	404	423
electric (W)		200	200	300	300	600	600



*Old Beauty*  
TOWEL WARMER

## FINISHINGS



Polished

Brushed

## PVD FINISHING

maximum dimensions of 1000mm




Champagne

Gold

Copper

Gun Metal

## ACCESSORIES




Domotic Touch

Mimoo Switch

Mimoo Switch Round

Wall Valve

## VERSION



Central Heating

Electric


Mixed

## MATERIAL




Stainless Steel

## VERSION: CENTRAL HEATING



## VERSION: ELECTRIC II (HIDDEN)




model		OB 800
height (mm)	a	690
width between axles (mm)	b	650
total width (mm)	c	820
depth (mm)	d	120
capacity (l)		2,61
central heating (W)		235
electric (W)		600



*Remind*

TOWEL WARMER

## FINISHINGS



Polished

Brushed

## PVD FINISHING

maximum dimensions of 1000mm




Champagne

Gold

Copper

Gun Metal

## ACCESSORIES




Domotic Touch

Mimoo Switch

Mimoo Switch Round

Wall Valve

## VERSION



Central Heating

Electric


Mixed

## MATERIAL




Stainless Steel

## VERSION: CENTRAL HEATING



## VERSION: ELECTRIC II (HIDDEN)




	model	R 800E	R 800L	R 1200E	R 1200L	R 1800E	R 1800L
height (mm)	a	800	800	1250	1250	1850	1850
width between axles (mm)	b	450	500	450	500	450	500
total width (mm)	c	485	535	485	535	485	535
depth (mm)	d	120	120	120	120	120	120
capacity (l)		1,84	1,93	2,90	3,03	4,31	4,51
central heating (W)		165	174	261	272	387	405
electric (W)		200	200	300	300	600	600



*Floor Remind*

TOWEL WARMER


## FINISHINGS



PVD FINISHING  
maximum dimensions of 1000mm



## ACCESSORIES




## VERSION




## MATERIAL



## VERSION: CENTRAL HEATING





## VERSION: ELECTRIC II (HIDDEN)



model		FR 1000	FR 1200	FR 1400
height (mm)	a	1000	1200	1400
width between axles (mm)	b	600	600	600
total width (mm)	c	642	642	642
depth (mm)	d	140	140	140
capacity (l)		3,69	4,26	5,17
central heating (W)		332	398	465
electric (W)		300	300	600






# Retro Special

TOWEL WARMER



model	RE600400	RE600450	RE600500	RE600600	RE800400	RE800450
height (mm) a	600	600	600	600	800	800
width between axles (mm) b	400	450	500	600	400	450
total width (mm) c	435	485	535	635	435	485
depth (mm) d	90	90	90	90	90	90
capacity (l)	1,35	1,41	1,47	1,58	1,67	1,73
central heating (W)	101	106	111	122	120	126
electric (W)	150	150	150	200	200	200

## FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour




PVD FINISHING  
maximum dimensions of 1000mm

-  Champagne
-  Gold
-  Copper
-  Gun Metal


## ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round


## VERSION

-  Central Heating
-  Electric
-  Mixed


## MATERIAL

-  Stainless Steel
-  Steel


## VERSION: ELECTRIC II



## VERSION: ELECTRIC II








RE800500	RE800600	RE1000400RE	1000450	RE1000500	RE1000600	RE1200400	RE1200450	RE1200500	RE1200600
800	800	1000	1000	1000	1000	1200	1200	1200	1200
500	600	400	450	500	600	400	450	500	600
535	635	435	485	535	635	435	485	535	635
90	90	90	90	90	90	90	90	90	90
1,79	1,9	2,12	2,2	2,28	2,43	2,45	2,52	2,6	2,75
131	142	154	161	168	182	174	181	188	202
200	200	300	300	300	300	300	300	300	300



# DIAMOND

DESIGN RADIATOR  
DESIGNER: PATRICK PEDROSA





## FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour


PVD FINISHING  
maximum dimensions of 1000mm

-  Champagne
-  Gold
-  Copper
-  Gun Metal

## ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round
-  Wall Valve


## VERSION

-  Central Heating
-  Electric


## MATERIAL

-  Stainless Steel
-  Steel

## VERSION: CENTRAL HEATING




## VERSION: ELECTRIC II (HIDDEN)





model	D 1500V	D 1200H
height (mm) a	1560	1050
width between axes (mm) b	50	50
total width (mm) c	1050	1560
depth (mm)	110	110
capacity (l)	11,18	11,18
weight (kg)	≈ 75	≈ 75
central heating (W)	1205	1205
electric (W)	1600-2000	1600-2000

# DIAMOND XS





D XS	model
1040	a (mm) height
50	b (mm) width between axles
900	c (mm) total width
110	d (mm) depth
4,75	(l) capacity
≈ 35	(kg) weight
568	(W) central heating
600-1000	(W) electric



# ARENA TABLE

DESIGN RADIATOR

DESIGNER: PATRICK PEDROSA



model		AT 1000	AT 1200	AT 1400
height (mm)	a	535	535	535
total width (mm)	b	1000	1200	1400
depth (mm)		450	450	450
capacity (l)		7,45	10,89	12,66
weight (kg)		~50	~65	~75
electric (W)		1000	1500	1500






# ARENA

DESIGN RADIATOR

DESIGNER: PATRICK PEDROSA







## FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

PVD FINISHING  
maximum dimensions of 1000mm

-  Champagne
-  Gold
-  Copper
-  Gun Metal

## ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round
-  Wall Valve


## VERSION

-  Central Heating
-  Electric


## MATERIAL

-  Stainless Steel
-  Steel

### VERSION: CENTRAL HEATING



### VERSION: ELECTRIC II



model		A 800	A 1200	A 1400
height (mm)	a	300	300	300
width between axles (mm)	b	50	50	50
total width (mm)	c	800	1200	1400
depth (mm)	d	270	270	270
capacity (l)		5,32	7,78	9,04
weight (kg)		~30	~45	~55
central heating (W)		578	801	913
electric (W)		600	1000	1500

# CURVE

ROOM RADIATOR








electric

C2301000 C2301500 C2302000 C3001000 C3001500 C3002000

model

230	230	230	300	300	300	a (mm)	height
1000	1500	2000	1000	1500	2000	b (mm)	total width
160	160	160	160	160	160	c (mm)	depth
1,3	2,1	2,9	1,3	2,1	2,9	d (mm)	capacity
1600	1800	2000	1600	1800	2000	(W)	electric



## FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

## ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round


## VERSION

-  Central Heating
-  Electric


## MATERIAL

-  Stainless Steel
-  Steel

## VERSION: ELECTRIC WITH HIDDEN ELEMENT II




## VERSION: CENTRAL HEATING



### central heating

model	C2301000	C2301500	C2302000	C3001000	C3001500	C3002000
height (mm) a	230	230	230	300	300	300
total width (mm) b	1000	1500	2000	1000	1500	2000
depth (mm) c	160	160	160	160	160	160
width between axles (mm) d	800	1300	1800	800	1300	1800
central heating (W)	872	1343	1787	1308	2015	2480








# D LIGNE

ROOM RADIATOR

electric						model
DL2301000	DL2301500	DL2302000	DL3001000	DL3001500	DL3002000	a (mm) height
230	230	230	300	300	300	b (mm) total width
1000	1500	2000	1000	1500	2000	c (mm) depth
160	160	160	160	160	160	d (mm) capacity
1,4	2,2	3,0	1,4	2,2	3,0	(W) electric
1600	1800	2000	1600	1800	2000	



FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round


VERSION

-  Central Heating
-  Electric


MATERIAL

-  Stainless Steel
-  Steel

VERSION: ELECTRIC WITH HIDDEN ELEMENT II



VERSION: CENTRAL HEATING




central heating

model	DL2301000	DL2301500	DL2302000	DL3001000	DL3001500	DL3002000
height (mm) a	230	230	230	300	300	300
total width (mm) b	1000	1500	2000	1000	1500	2000
depth (mm) c	160	160	160	160	160	160
width between axles (mm) d	860	1360	1860	860	1360	1860
central heating (W)	948	1460	1942	1422	2190	2913

# DIVINE

RADIATOR








electric

DI 1000    DI 1500    DI 2000    DI30 1000    DI30 1500    DI30 2000

model

230	230	230	300	300	300	a (mm)	height
1000	1500	2000	1000	1500	2000	b (mm)	total width
160	160	160	160	160	160	c (mm)	depth
1,4	2,2	3,0	1,4	2,2	3,0	d (mm)	capacity
1600	1800	2000	1600	1800	2000	(W)	electric



## FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour


## ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round


## VERSION

-  Central Heating
-  Electric


## MATERIAL

-  Stainless Steel
-  Steel

## VERSION: ELECTRIC WITH HIDDEN ELEMENT II



## VERSION: CENTRAL HEATING



### central heating

model	DI 1000	DI 1500	DI 2000	DI30 1000	DI30 1500	DI30 2000
height (mm) a	230	230	230	300	300	300
total width (mm) b	1000	1500	2000	1000	1500	2000
depth (mm) c	160	160	160	160	160	160
width between axles (mm) d	880	1380	1880	880	1380	1880
central heating (W)	948	1460	1942	1422	2190	2913








# LINEAR

ROOM RADIATOR

electric

LE 1000	LE 1500	LE 1000+	LE 1500+	LE 2000+	LE30 1000	LE30 1500	LE30 2000	model
240	240	240	240	240	310	310	310	a (mm) height
1000	1500	1000	1500	2000	1000	1500	2000	b (mm) total width
100	100	160	160	160	160	160	160	c (mm) depth
1,4	2,2	1,4	2,2	3,0	1,4	2,2	3,0	d (mm) capacity
1600	1800	1600	1800	2000	1600	1800	2000	(W) electric



## FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

## ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round



## VERSION

-  Central Heating
-  Electric




## MATERIAL

-  Stainless Steel
-  Steel

## VERSION: ELECTRIC WITH HIDDEN ELEMENT II



## VERSION: CENTRAL HEATING




## central heating

model	LC 1000	LC 1500	LC 2000	LC30 1000	LC30 1500	LC30 2000
height (mm) a	240	240	240	310	310	310
total width (mm) b	1000	1500	2000	1000	1500	2000
depth (mm) c	160	160	160	160	160	160
width between axles (mm) d	-	-	-	-	-	-
central heating (W)	948	1460	1942	1422	2190	2913

# PLANO MOVE






ROOM RADIATOR






model		PM400800	PM500800	PM600800	PM4001200	PM5001200	PM6001200	PM4001400
height (mm) a		400	500	600	400	500	600	400
total width (mm) c		800	800	800	1200	1200	1200	1400
depth (mm) d		40/60/90	40/60/90	40/60/90	40/60/90	40/60/90	40/60/90	40/60/90
electric (W)		300	300	600	600	600	600	600

model		PM800400	PM800500	PM800600	PM1200400	PM1200500	PM1200600	PM1400400
height (mm) a		800	800	800	1200	1200	1200	1400
total width (mm) c		400	500	600	400	500	600	400
depth (mm) d		40/60/90	40/60/90	40/60/90	40/60/90	40/60/90	40/60/90	40/60/90
electric (W)		300	300	600	600	600	600	600

## FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

## ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round

## VERSION

-  Electric



## MATERIAL

-  Stainless Steel
-  Steel

## NOTE

Electrical heating cartridge with thermal fluid

## VERSION: ELECTRIC WITH HIDDEN ELEMENT II



PM5001400	PM6001400	PM4001800	PM5001800	PM6001800	PM4002000	PM5002000	PM6002000
500	600	400	500	600	400	500	600
1400	1400	1800	1800	1800	2000	2000	2000
40/60/90	40/60/90	40/60/90	40/60/90	40/60/90	40/60/90	40/60/90	40/60/90
600	600	600	600	1000	1000	1000	1000
PM1400500	PM1400600	PM1800400	PM1800500	PM1800600	PM2000400	PM2000500	PM2000600
1400	1400	1800	1800	1800	2000	2000	2000
500	600	400	500	600	400	500	600
40/60/90	40/60/90	40/60/90	40/60/90	40/60/90	40/60/90	40/60/90	40/60/90
600	600	600	600	1000	1000	1000	1000

# PLANO PURE

ROOM RADIATOR



\* Different width between axles and positioning of valves according to the client's choice.

\*\* The depth can be less than 80mm.






PP6501200 PP6501800 PP6502000 PP10001000 PP1800550 PP2000550 PP1800650 PP2000650

650	650	650	1000	1800	2000	1800	2000
-	-	-	-	-	-	-	-
1200	1800	2000	1000	550	550	650	650
80	80	80	80	80	80	80	80
26,03	33,31	36,99	28,96	27,88	28,96	33,31	36,99
47,4	69,8	77,1	64,6	59,1	75,2	69,8	77,1
2512	3768	4187	3382	3267	3630	3768	4187
1200	1600	2000	1200	1600	2000	1600	2000

model

a	(mm)	height
b	(mm)	* width between axles
c	(mm)	total width
d	(mm)	** depth
(l)		capacity
(kg)		weight
(W)		central heating
(W)		electric II



FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round

VERSION

-  Central Heating
-  Electric


MATERIAL

-  Stainless Steel
-  Steel


VERSION: ELECTRIC II




VERSION: ELECTRIC II



VERSION: CENTRAL HEATING



VERSION: CENTRAL HEATING










# PLANO PURE ON/OFF



ROOM RADIATOR



## FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour

## ACCESSORIES

-  Domotic Touch
-  Mimoo Switch
-  Mimoo Switch Round


## VERSION

-  Electric


## MATERIAL

-  Stainless Steel
-  Steel


## VERSION: ELECTRIC II



## VERSION: ELECTRIC II




on/off switch with LED  
voltage AC 110-120V








model		PP6501200	PP6501800	PP6502000	PP10001000	PP1800550	PP2000550	PP1800650	PP2000650
height (mm)	a	650	650	650	1000	1800	2000	1800	2000
total width (mm)	c	1200	1800	2000	1000	550	550	650	650
depth (mm)	d	80	80	80	80	80	80	80	80
electric II (W)		1200	1600	2000	1200	1600	2000	1600	2000

# PLANO +

ROOM RADIATOR



FINISHINGS

-  Polished
-  Brushed
-  Textured Black
-  White 9016 Satin
-  RAL Colour


VERSION

-  Central Heating


MATERIAL

-  Stainless Steel
-  Steel


option A




option B



option C



option D




\* Different width between axes and positioning of valves according to the client's choice.

model	P+1200 10	P+1400 10	P+1800 10	P+2000 10	P+1200 25	P+1400 25	P+1800 25
no. of elements	10	10	10	10	25	25	25
height (mm) a	1200	1400	1800	2000	1200	1400	1800
total width (mm) c	210	210	210	210	510	510	510
depth (mm) d	120	120	120	120	120	120	120
capacity (l)	4,25	4,91	6,23	6,89	10,61	12,26	15,55
weight (kg)	17,14	19,90	25,42	28,18	42,81	49,71	63,51
central heating (W)	782	901	1136	1256	1960	2259	2845


model	P+2000 25	P+1200 31	P+1400 31	P+1800 31	P+2000 31	P+1200 36	P+1400 36
no. of elements	25	31	31	31	31	36	36
height (mm) a	2000	1200	1400	1800	2000	1200	1400
total width (mm) c	510	630	630	630	630	730	730
depth (mm) d	120	120	120	120	120	120	120
capacity (l)	17,19	13,16	15,20	19,28	21,32	15,28	17,65
weight (kg)	70,41	53,08	61,64	78,75	87,31	61,64	71,57
central heating (W)	3146	2432	2801	3157	3902	2826	3257

model	P+2000 60	P+251200	P+25 1400	P+25 1800	P+31 1200	P+31 1400	P+31 1800
no. of elements	60	25	25	25	31	31	31
height (mm) a	2000	510	510	510	630	630	630
total width (mm) c	1210	1200	1400	1800	1200	1400	1800
depth (mm) d	120	120	120	120	120	120	120
capacity (l)	41,24	10,61	12,26	15,55	13,16	15,20	19,28
weight (kg)	168,95	42,81	49,71	63,51	53,08	61,64	78,75
central heating (W)	7520	1960	2259	2845	2432	2801	3157


option E



option F



option G



P+1800 36 P+2000 36 P+1200 40 P+1400 40 P+1800 40 P+2000 40 P+1200 60 P+1400 60 P+1800 60


36	36	40	40	40	40	60	60	60
1800	2000	1200	1400	1800	2000	1200	1400	1800
730	730	810	810	810	810	1210	1210	1210
120	120	120	120	120	120	120	120	120
22,38	24,75	16,97	19,60	24,87	27,50	25,45	29,40	37,30
91,45	101,38	68,48	79,52	101,60	112,71	102,71	119,27	152,39
4099	4530	3139	3619	4557	5030	4706	5427	6820

P+36 1200 P+36 1400 P+36 1800 P+40 1200 P+40 1400 P+40 1800 P+60 1200 P+60 1400 P+60 1800


36	36	36	40	40	40	60	60	60
730	730	730	810	810	810	1210	1210	1210
1200	1400	1800	1200	1400	1800	1200	1400	1800
120	120	120	120	120	120	120	120	120
15,28	17,65	22,38	16,97	19,60	24,87	25,45	29,40	37,30
61,64	71,57	91,45	68,48	79,52	101,60	102,71	119,27	152,39
2826	3257	4099	3139	3619	4557	4706	5427	6820

# PLANO

ROOM RADIATOR




VERSION: ELECTRIC II




model	P1200 4	P1400 4	P1800 4	P2000 4	P1200 8	P1400 8	P1800 8	P2000 8	P1200 9
no. of elements	4	4	4	4	8	8	8	8	9
height (mm) a	1200	1400	1800	2000	1200	1400	1800	2000	1200
total width (mm) c	221	221	221	221	449	449	449	449	506
depth (mm) d	85	85	85	85	85	85	85	85	85
capacity (l)	2,01	2,29	2,98	3,25	4,10	4,70	5,98	6,32	4,54
weight (kg)	7,24	8,34	10,55	11,65	14,49	16,70	21,12	23,32	16,31
central heating (W)	325	379	469	497	654	733	925	956	713
electric (W)	600	600	600	600	1000	1000	1000	1000	1200

model	P1400 14	P1800 14	P2000 14	P1200 21	P1400 21	P1800 21	P2000 21	P9 1200	P9 1400
no. of elements	14	14	14	21	21	21	21	9	9
height (mm) a	1400	1800	2000	1200	1400	1800	2000	506	506
total width (mm) c	791	791	791	1190	1190	1190	1190	1200	1400
depth (mm) d	85	85	85	85	85	85	85	85	85
capacity (l)	7,60	9,44	10,37	10,03	11,41	14,17	15,55	4,54	5,30
weight (kg)	29,24	36,97	40,83	38,07	43,87	55,46	62,55	16,31	18,79
central heating (W)	1276	1594	1603	1649	1899	2390	2641	713	829
electric (W)	2000	2000	2000	2000	2000	2000	2000	1200	1200


option A




option B



option C




option D




option E



option G



option F



\* Different width between axles and positioning of valves according to the client's choice.

P1400 9	P1800 9	P2000 9	P1200 10	P1400 10	P1800 10	P2000 10	P1200 11	P1400 11	P1800 11	P2000 11	P1200 14
9	9	9	10	10	10	10	11	11	11	11	14
1400	1800	2000	1200	1400	1800	2000	1200	1400	1800	2000	1200
506	506	506	563	563	563	563	620	620	620	620	791
85	85	85	85	85	85	85	85	85	85	85	85
5,30	6,69	7,21	5,11	5,97	7,44	8,10	5,71	6,51	8,26	8,74	6,68
18,79	23,76	26,24	18,12	20,88	26,40	29,16	19,93	22,97	29,04	32,08	25,38
829	1022	1117	814	933	1142	1263	864	997	1262	1388	1106
1600	2000	2000	1200	1200	2000	2000	1600	2000	2000	2000	2000

P9 1800	P10 1200	P10 1400	P10 1800	P11 1200	P11 1400	P11 1800	P14 1200	P14 1400	P14 1800	P21 1200	P21 1400
9	10	10	10	11	11	11	14	14	14	21	21
506	563	563	563	620	620	620	791	791	791	1190	1190
1800	1200	1400	1800	1200	1400	1800	1200	1400	1800	1200	1400
85	85	85	85	85	85	85	85	85	85	85	85
6,69	5,11	5,97	7,44	5,71	6,51	8,26	6,68	7,60	9,44	10,03	11,41
23,76	18,12	20,88	26,40	19,93	22,97	29,04	25,38	29,24	36,97	38,07	43,87
1002	814	933	1142	864	997	1262	1106	1276	1594	1649	1899
1200	1200	1200	1200	1200	1600	2000	1600	1600	2000	1600	2000

# DOMOTIC TOUCH

## TECHNOLOGY

The Domotic Touch is a simple control solution with the installation parameters of a normal switch.

### Economical functionality

Increases the energetic efficiency with the setup of working hours (one, two or three hours).

### Comfort functionality

Control of the energy expenditure through the temperature setup (18°C, 20°C, 22°C, 24°C). Equipped with a room temperature sensor that allows the selection of the desired temperature for the comfort of the space.

### Flexibility

The Domotic Touch allows the management of one or more radiators or towel warmers in the same space.

### Duty-cycle

Function to use for a more customized control equipment temperature.

The activation of this mode is shown by the light indicator above the icon.


Operation timed at 25%, 50%, 75% and 100% per 20 minute period.



BLACK GLASS



WHITE GLASS



model	DT
total measure exterior (mm) a	90 x 90
exterior depth (mm) b	5
interior case depth (mm) c	40
total measure interior (mm) d	73 x 73
horizontal back measure (mm) e	55
vertical back measure (mm) f	51

-	B
neutral input	N
neutral output towel warmer/ radiator	N
phase input	L
phase output towel warmer/ radiator	1



MATTE WHITE



MATTE BLACK



# SWITCH ON OFF

Ø60MM X 70MM | IP54

CLASS 2


110V - 230V



PVD BRUSHED GOLD




PVD POLISHED GOLD




BRUSHED



POLISHED



PVD BRUSHED COPPER



PVD POLISHED COPPER



TEXTURED BLACK



WHITE 9016 SATIN



# SWITCH ON OFF



Ø60MM X 70MM | IP54

CLASS 2

110V - 230V





# MIMOO SWITCH

80MM X 80MM X 6MM | IP54

CLASS 2

110V - 230V



PVD BRUSHED GOLD



PVD POLISHED GOLD




BRUSHED



POLISHED




PVD BRUSHED COPPER



PVD POLISHED COPPER



TEXTURED BLACK



WHITE 9016 SATIN




# MIMOO SWITCH ROUND

85MM X 6MM | IP54

CLASS 2

110V - 230V



PVD BRUSHED GOLD




PVD POLISHED GOLD




BRUSHED




POLISHED



PVD BRUSHED COPPER



PVD POLISHED COPPER



TEXTURED BLACK



WHITE 9016 SATIN


# MIMOO SWITCH

MIMOO SWITCH




80MM X 80MM X 6MM | IP54  
CLASS 2  
110V - 230V

SIDE VIEW



FRONT VIEW




MIMOO SWITCH ROUND




Ø85MM X 6MM | IP54  
CLASS 2  
110V - 230V

SIDE VIEW



FRONT VIEW



# ELECTRIC ELEMENTS

## ELECTRIC ELEMENT II





CLASS 2 | IP 64  
VERTICAL ALIGNMENT  
HORIZONTAL ALIGNMENT

# VALVES AND RETAINERS


## VALVE KIT 1

Square manual angled valve and retainer



## VALVE KIT 2

Square manual angled valve and retainer




## VALVE KIT 3

Round manual angled valve and retainer



VALVE KIT 4

Round manual angled valve and retainer




VALVE KIT 5

Rewind manual valve

french style




english style



VALVE KIT 6

Manual valve and retainer

Manual valve and retainer



## VALVE KIT 7

Round manual angled valve and retainer




## THERMOSTATIC KIT 1

Thermostatic head + Cover

Thermostatic valve



Retainer



## THERMOSTATIC KIT 2

Valve with thermostatic head

Retainer



### THERMOSTATIC KIT 3

Thermostatic valve



Thermostatic valve




Retainer



### WALL VALVE KIT 1

Thermostatic valves




## SUPPORTS

Support I



Support II




## MIXED ADAPTER I

Adapter for mixed version




## MIXED ADAPTER II

Adapter for mixed version




## AIR VENT

Air vent 1/2"



Air vent 1/8"





# **FOURSTEEL®**

Foursteel, Lda  
Centro Empresarial de Aveiro  
Zona Industrial de Mamodeiro  
3810-783 Aveiro  
PORTUGAL

T +351 234 111 967

T +351 234 107 263

[www.foursteel.eu](http://www.foursteel.eu)

[geral@foursteel.eu](mailto:geral@foursteel.eu)

+351 935 212 579

#### IMPORTANT NOTES:

1. When the position of the electric element is not identified It will always be placed in the lower right side;
2. All our electric heaters consist of electric heater cartridge (heater bar) and thermal fluid.
3. Foursteel® reserves the right to change all the products and related drawings featured in this catalogue without any prior notice.
4. All Foursteel® products are adaptable in terms of size and capacity.

---

RAL COLORS: color subject to confirmation.

WHITE: RAL 9016 (Standard version)

---

Certification of electrical products, according to the standards:

IECEN 60335-2-43:

IEC 60335-1:2010 + COR1: 2010 + COR2:2011 + A1:2013 EN 60335-1:2012 + AC:2014 + A11:2014

IEC 60335-2-43:2002 + A1:2005 + A2:2008 EN 60335-2-43:2003 + A1:2006 + A2:2008

Certification of central heating products, according to the standard UN:

EN442 - 2

UL Certification:

UL 499 - Electric Heating Appliances

E506585



**FOURSTEEL®**

[WWW.FOURSTEEL.EU](http://WWW.FOURSTEEL.EU)